# DonFlash V

Fibreglass reinforcing fabric



# Description

DonFlash V is a woven fibreglass reinforcing fabric mesh for vertical applications of AquaSure.

# **Applications**

DonFlash V is designed to be used as the standard reinforcement material for AquaSure Underground System, in applications such as vertical foundation walls.

## **Advantages**

- ▲ Provides extra tensile strength for the waterproofing material.
- ▲ Eliminates air pockets between the two layers of AquaSure.
- ▲ Allows the two coats of membrane to bond together easily through the fabric.

# Method of Application

DonFlash V should be properly aligned before application to ensure a 5 - 10 cm overlapping between fibreglass strips.

Embed DonFlash V immediately after the application of first coat of waterproofing, it is important the fabric is applied while membrane is still liquid in order to ensure full contact.

The second coat should applied over DonFlash V until fully soaked and covered.

#### **Packaging**

DonFlash V is supplied in rolls of 1 m width. Rolls should be stored in dry and cool rooms. Protect the material against moisture and direct sunlight.

# Technical Properties:

Thickness: 0.30 mmUnit weight:  $80 \text{ g/m}^2$ 

Minimum tensile strength:

Warp 14 kgf/cm Weft 16 kgf/cm

#### **Cautions**

### Health and Safety

There is no health hazards associated with DonFlash V in normal use.

#### More from Don Construction Products

A wide range of construction chemical products are manufactured by DCP which include:

- Concrete admixtures.
- ▲ Surface treatments
- ▲ Grouts and anchors.
- Concrete repair.
- ▲ Flooring systems.
- ▲ Protective coatings.
- ▲ Sealants.
- ▲ Waterproofing.
- ▲ Adhesives.
- ▲ Tile adhesives and grouts.
- ▲ Building products.
- ▲ Structural strengthening.

# DonFlash V

#### Note:

We endeavor to ensure that any advice, recommendation or information we may give in product literature is accurate and correct. However, due to the fact that we have no direct or continuous control over where or how the products are applied, DCP cannot accept any liability either directly or indirectly arising from the use of DCP products, whether or not in accordance with any advice, specification, recommendation or information given by us.