

SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
 - Product Name: Aquathane Primer PU
 - Product Part Number: C01/08/05/127
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Use of the substance/mixture: Single component solvent based polyurethane primer and sealer
- 1.3 Details of the supplier of the safety data sheet
 - Name of Supplier: Don Construction Products/Jordan
 - Address of Supplier: P.O. Box 1117
 - Amman 11118 Jordan
 - Telephone: +962 6 533 8891
 - Fax: +962 6 533 8829
 - Email: info.jordan@dcp-int.com
- 1.4 Emergency telephone number
 - Emergency Telephone: +962 6 533 8891 (Available during office hours)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - CLP: Flam. Liq. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Carc. 2, STOT RE 2
- 2.2 Label elements



SECTION 2: Hazards identification (....)

- Signal Word: Danger
- Hazard statements
 - H226 Flammable liquid and vapour.
 - H332 Harmful if inhaled.
 - H351 Suspected of causing cancer.
 - H373 May cause damage to organs through prolonged or repeated exposure.
 - H315 Causes skin irritation.
 - H319 Causes serious eye irritation.
 - H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 - H317 May cause an allergic skin reaction.
 - EUH204 Contains isocyanates. May produce an allergic reaction.
- Precautionary statements
 - P233 Keep container tightly closed.
 - P314 Get medical advice/attention if you feel unwell.
 - P264 Wash
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P363 Wash contaminated clothing before reuse.
 - P271 Use only outdoors or in a well-ventilated area.
 - P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 - P243 Take action to prevent static discharges.
 - P332+P313 If skin irritation occurs: Get medical advice/attention.
 - P405 Store locked up.
 - P242 Use non-sparking tools.
- 2.3 Other hazards

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
 - DIPHENYLMETHANDIISOCYANATE, ISOMERS AND HOMOLOGUES CAS Number: 9016-87-9 EC Number: 618-498-9 Concentration: 25 - 50% Categories: Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, Carc. 2, STOT SE 3, STOT RE 2
 Symbols: GHS07, GHS08 H Statements: H315, H317, H319, H332, H334, H335, H351, H373
 - 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate



Revision: 18 Feb 2023

SECTION 3: Composition/information on ingredients (....)

CAS Number: EC Number: Concentration: Categories:	202-966-0
Symbols:	GHS08, GHS07
H Statements:	H351, H332, H373**, H319, H335, H315, H334, H317
- ethylbenzene	
CAS Number:	100-41-4
EC Number:	202-849-4
Concentration:	: 5 - 15%
Categories:	Acute Tox. 4, STOT RE 2
Symbols:	GHS02, GHS07, GHS08
R/H Phrases:	H225;H332;H304;H373;R11;R20
- xylene	
CAS Number:	1330-20-7
EC Number:	215-535-7
Concentration:	: 30 - 55%
Categories:	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2
Symbols:	
H Statements:	H226, H332, H312, H315

SECTION 4: First aid measures

- 4.1 Description of first aid measures
 - Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical attention if patient feels unwell or if discomfort continues.

- Contact with skin

If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water Wash affected area with plenty of polyethylene glycol Contaminated clothing should be laundered before reuse

- Contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

- Ingestion

Do NOT induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious)

SECTION 4: First aid measures (....)

Get immediate medical advice/attention.

- 4.2 Most important symptoms and effects, both acute and delayed
 - May cause sensitisation by skin contact
 - Irritating to respiratory system and skin
- 4.3 Indication of any immediate medical attention and special treatment needed
 - No information available

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide
 - Do not use water jets
- 5.2 Special hazards arising from the substance or mixture
 - Burning produces irritating, toxic and obnoxious fumes.
 - Cyanide compounds may be formed
 - Nitrogen and carbon oxides may be formed
 - Flammable liquid and vapour.
 - Vapours may form explosive mixtures with air.
- 5.3 Advice for firefighters
 - Wear self contained breathing apparatus and full protective clothing
 - Do not allow run-off water to enter sewers and water sources.
 - Water spray should be used to cool containers

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Avoid contact with skin and eyes
 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 - Wash thoroughly after dealing with spillage
 - Wear suitable protective clothing
 - Ensure adequate ventilation
 - Keep away from heat and sources of ignition
 - Do not smoke
- 6.2 Environmental precautions
 - Avoid release to the environment.
 - Do not allow to enter public sewers and watercourses
 - Prevent further spilage if safe
- 6.3 Methods and material for containment and cleaning up





SECTION 6: Accidental release measures (....)

- Collect as much as possible in clean container for reuse or disposal
- Contain spillage with sand, earth or other non-combustible material.
- Place in appropriate container
- Wear suitable protective clothing, eye/face protection and gloves
- In case of leakage, eliminate all ignition sources.
- 6.4 Reference to other sections
 - For personal protection see section 8

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 - Use explosion-proof [electrical/ventilating/lighting/
 - Use non-sparking tools.
 - Take action to prevent static discharges.
 - Do not breathe dust/fume/gas/mist/vapours/spray.
 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 - Wash hands thoroughly after handling.
 - Use only outdoors or in a well-ventilated area.
 - Contaminated work clothing should not be allowed out of the workplace.
 - Wear protective gloves/protective clothing/eye protection/face protection.
 - Use personal protective equipment as required.
 - In case of inadequate ventilation wear respiratory protection.
 - Call a POISON CENTRE or doctor if you feel unwell.
 - Get medical advice/attention if you feel unwell.
 - Wash contaminated clothing before reuse.
 - Dispose of contents/container to an authorised waste collection point
- 7.2 Conditions for safe storage, including any incompatibilities
 - Ground and bond container and receiving equipment.
 - Use explosion-proof [electrical/ventilating/lighting/
 - Store in a well-ventilated place. Keep cool.
 - Store between + 5° C and +35°C protect from frost and direct sunlight.
 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - Keep away from static electricity
 - Keep away from moisture
 - Keep away from strong oxidisers, heat, flames and sources of ignition.
 - Store locked up.
- 7.3 Specific end use(s)
 - No information available





SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- No information available but must be considered harmful
- 8.2 Exposure controls



- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use personal protective equipment as required.
- In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
 - Appearance: Clear, brown, Liquid
 - Odour: Characteristic odour
 - Boiling Point/Range: No data available
 - Flashpoint: 30 °C
 - pH: Not applicable
 - Specific Gravity: 0.98 ± 0.02
 - Solubility in water: Insoluble in water

9.2 Other information

- No information available

SECTION 10: Stability and reactivity

- 10.1 Reactivity
 - No hazardous reactions known if used for its intended purpose
- 10.2 Chemical stability
 - Considered stable under normal conditions
- 10.3 Possibility of hazardous reactions
 - No hazardous reactions known if used for its intended purpose
- 10.4 Conditions to avoid
 - Avoid exposure to high temperature or direct sunlight.
 - Keep at temperature not exceeding
 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SECTION 10: Stability and reactivity (....)

- Keep away from air and moisture
- 10.5 Incompatible materials
 - Reacts with water
 - Incompatible with acids and alkalis
 - Incompatible with alcohols
 - Incompatible with amines
- 10.6 Hazardous decomposition products
 - Combustion may emit toxic fumes
 - Decomposition products may include nitrogen and carbon oxides
 - Decomposition products may include cyanide compounds

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- Causes damage to organs through repeated or prolonged exposure
- Causes skin irritation.
- Causes serious eye irritation.

SECTION 12: Ecological information

- 12.1 Toxicity
 - No information available
- 12.2 Persistence and degradability
 - No information available
- 12.3 Bioaccumulative potential
 - No information available
- 12.4 Mobility in soil
 - immiscible with water
- 12.5 Results of PBT and vPvB assessment
 - No information available
- 12.6 Other adverse effects
 - No information available

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
 - Avoid release to the environment. Refer to special instructions/Safety data sheets
 - Disposal should be in accordance with local, state or national legislation



7





SECTION 13: Disposal considerations (....)

- Do not empty into drains - dispose of this material and container in a safe way

SECTION 14: Transport information

UN No.: 3	383		
Proper Shipping Name: TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.			
	1		
Packing Group: I			
14.1 Air (ICAO/IATA)			
- ICAO UN No.:	3383		
 Proper Shipping I 	Iame: TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC50 lower than or equal to 200 ml/m3 and saturated vapour concentration greater than or equal to 500 LC50		
- ICAO Hazard Cla	ss: 6.1		
 ICAO Packing Gr 	pup: I		
14.2 Road/Rail (ADR/RID)			
- ADR UN No.:	3383		
- Proper Shipping I	Iame: TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC50 lower than or equal to 200 ml/m3 and saturated vapour concentration greater than or equal to 500 LC50		
 ADR Hazard Class 	s: 6.1		
14.3 Sea (IMDG)			
- IMDG UN No.:	3383		
- Proper Shipping N	Iame: TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC50 lower than or equal to 200 ml/m3 and saturated vapour concentration greater than or equal to 500 LC50		
 IMDG Hazard Cla 			
 IMDG Pack Grou 	D.: I		
14.4 Environmental hazards			
- No information av	ailable		
14.5 Special precautions for user			
- No information available			
14.6 Transport in bulk according to Annex II of Marpol and the IBC Code			
- No information available			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SECTION 15: Regulatory information (....)

- This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830
- This Safety Data Sheet is provided in compliance with the EC Directive 82/501/EEC (the Seveso Directive)
- 15.2 Chemical safety assessment
 - A chemical safety assessment (CSA) for this product has not yet been completed

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H312: Harmful in contact with skin. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H332: Harmful if inhaled. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335: May cause respiratory irritation. H351: Suspected of causing cancer. H373: May cause damage to organs through prolonged or repeated exposure. R11: Highly Flammable. R20: Harmful by inhalation.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

--- end of safety datasheet ---

