

# Material SAFETY DATA SHEET Bituproof FLX

# 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Bituproof FLX	
Description:	Water based elastomeric rubberized	bitumen waterproof coating
Manufacturer:	Ayla Construction Chemicals	
	P.O. Box 1117, Amman 11118 Jorda	an
	Tel. + 962 6 5338891	Fax: + 962 6 5338829
	www.dcp-int.com	
Date Prepared:	08.11.16	
MSDS Number:	DCP/08/01/103	

# 2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Rubberized bitume	n emulsion.		
Hazardous Ingredient(s)	Symbol	Risk Phrases	Cas No.	%
Bitumen			64742-93-4	60

Refer to Section 8 for Occupational Exposure Limits.

## **3: HAZARDS IDENTIFICATION**

Long term skin contact may cause health problems.

4: FIRST AID MEASURES	
Eyes:	Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists.
Skin:	Wash thoroughly with soap and water or suitable skin cleanser as soon as possible.
Inhalation:	Remove from exposure – unlikely to occur.
Ingestion:	Wash out mouth with water. Don't induce vomiting. Obtain medical attention.

Issue No.:	01	Rev. No.: 01	Bituproof FLX	Page 1 of 4



## **5: FIRE FIGHTING MEASURES**

Flash Point:	None.
Special Exposure Hazards:	None.
Extinguishing Media:	Same as surrounding fire.
Personal Protective Equipment:	None.

# **6: ACCIDENTAL RELEASE MEASURES**

Personal Precautions:	Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Soak up with inert absorbent like sand and remove by best available means. Gather into containers. Dispose off as waste.

# 7: HANDLING AND STORAGE

Handling:	Avoid skin and eye contact.
Storage:	Store in cool and dry area. Protect from frost.

## 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ingestion:	Prevent eating, drinking or smoking in the area of product use.
Eye Contact:	Safety glasses/goggles.
Skin Contact:	Impervious gloves (e.g. PVC).
Engineering Controls:	No specific ventilation requirement noted.
Exposure Guidelines:	None assigned.

#### 9: PHYSICAL AND CHEMICAL PROPERTIES

Relative Density (@25°C):	1.04 – 1.10	
Explosive Properties (%): Vapor Pressure (KPa @20°C):	Not known 2.3 (water)	
Autoflammability (°C):	Not determined	
Flash Point (closed cup) (°C):	None	
Boiling Point (°C):	100°C	
pH (concentrate):	9 - 11	
Odour:	Typical	
Colour:	Black	
Form:	Liquid	



## **10: STABILITY AND REACTIVITY**

Stability:	Stable.
Conditions to Avoid:	Temperature below 2°C and above 80°C.
Chemical Incompatibility:	Strong acids.
Hazardous Decomposition Products:	Thermal decomposition may yield Sulfur compounds including hydrogen sulfide.

#### **11: TOXICOLOGICAL INFORMATION**

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 2 mg/kg.

#### **Health Effects**

On Eyes:	Irritation.
On Skin:	Unlikely to irritate on brief occasional exposure.
By Inhalation:	Low volatility makes inhalation unlikely at ambient temperatures.
By Ingestion:	Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.
Chronic:	Repeated and prolonged contact, allied to poor personal hygiene practices may result in skin cancer.

#### **12: ECOLOGICAL INFORMATION**

Environmental Assessment:	When used and disposed off as intended, no adverse environmental effects are foreseen.
Mobility:	Mobile liquid. Emulsifiable in water.
Degradability:	Inherently biodegradable.
Bioaccumulation:	Not expected to be bioaccumulative.
Acute Fish Toxicity:	Ecotoxic to fish/ daphnia/ algae.

## **13: DISPOSAL CONSIDERATION**

Disposal must be in accordance with local and national legislation.

Unused Product:	Dispose off through an authorized waste contractor to a licensed site. Do not empty into drains, sewers or water courses.
Used/ Contaminated Product:	As for unused product.
Packaging:	May be steam cleaned and recycled.

#### **14: TRANSPORT INFORMATION**

This product is **not** classified as dangerous for transport.

Issue No.:	01	Rev. No.:	01	Bituproof FLX	Page	3 of 4
------------	----	-----------	----	---------------	------	--------



## **15: REGULATORY INFORMATION**

#### Hazard Label Data:

This product is  $\ensuremath{\textbf{not}}$  classified as dangerous for supply.

08.11.16

Safety Phrases:

S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### **16: OTHER INFORMATION**

Issue Date:

Revised Date: 23.08.2020

Disclaimer: The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.

Issue No.:	01	Rev. No.:	01	Bituproof FLX P	age	4 of 4