
SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Product Name: DonProof PU-H50- Hardener
- Product Part Number: C05/08/05/163H

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Spray applied, polyurea/polyurethane hybrid membrane for waterproofing and protection

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: DCP Lebanon
- Address of Supplier: Port, Jamarek Street (Face Port Pharmacy), Rbeiz Bldg Beirut, Lebanon
- Telephone: +961 1 444 562
- Fax: +961 1 444 563
- Email: info.lebanon@dcp-int.com

1.4 Emergency telephone number

- Emergency Telephone: +961 1 444 562 (Available during office hours)
-

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- CLP: Eye Irrit. 2, STOT RE 2, Aquatic Chronic 2

2.2 Label elements



- Signal Word: Warning

SECTION 2: Hazards identification (....)

- Hazard statements
 - H319 - Causes serious eye irritation.
 - H373 - May cause damage to organs through prolonged or repeated exposure.
 - H411 - Toxic to aquatic life with long lasting effects.

- Precautionary statements
 - P273 - Avoid release to the environment.
 - P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 - P314 - Get medical advice/attention if you feel unwell.
 - P337+P313 - If eye irritation persists: Get medical advice/attention.
 - P391 - Collect spillage.
 - P501 - Dispose of contents/container in accordance with applicable regulations

2.3 Other hazards

- Contains: diethylmethylenediamine

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- diethylmethylenediamine
 - CAS Number: 68479-98-1
 - EC Number: 270-877-4
 - Concentration: 20 - 25%
 - Categories: STOT RE 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1, Acute Tox. 4.
 - H Statements: H373, H319, H400, H302, H410, H302, H312

SECTION 4: First aid measures

4.1 Description of first aid measures

- Wash contaminated clothing before reuse.
- Inhalation
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Get medical advice/attention if you feel unwell.
- Contact with skin
Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists.
- Contact with eyes
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Protect uninjured eye. Get immediate medical advice/attention.
- Ingestion
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Get immediate medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation.
Eye damages.

4.3 Indication of any immediate medical attention and special treatment needed

- In case of accident or unwellness, get immediate medical advice/attention.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Water, carbon dioxide

5.2 Special hazards arising from the substance or mixture

- Do not inhale explosion and combustion gases

5.3 Advice for firefighters

- Wear self contained breathing apparatus and full protective clothing
-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8

6.2 Environmental precautions

- Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

- Collect spillage.
- Retain contaminated washing water and dispose it.

6.4 Reference to other sections

- See Section 8 and 13
-

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Do not empty into drains
- Wash skin thoroughly after handling.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Do not eat, drink or smoke when using this product.
- Ensure adequate ventilation
- Use good personal hygiene practices

7.2 Conditions for safe storage, including any incompatibilities

- Store locked up.
- Keep away from food, drink and animal feedingstuffs
- Store in original, tightly closed containers

7.3 Specific end use(s)

- No information available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- diethylmethylbenzenediamine
DNEL
Industry - Inhalation; Long term systemic effects: 0.13 mg/m³
Industry - Dermal; Long term systemic effects: 1 mg/kg/day

8.2 Exposure controls



- Wear protective gloves/protective clothing/eye protection/face protection.
- Wear goggles giving complete eye protection. Don't use eye lens.
- Wear protective gloves. Gloves comply with EN ISO 374 are recommended. Break through times can vary depending on thickness, use and source. Change gloves regularly.
- Provide eyewash station. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes wet or contaminated.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance: Liquid
- Colour: Grey
- Odour: Characteristic.
- Boiling Point/Range: Not determined.
- Flashpoint: > 100°C
- pH: Not determined.
- Specific Gravity: 1.09± 0.03
- Viscosity: 1,000.00 cPs
- Explosive Properties: Not determined.
- Solubility in water: Not determined.

SECTION 10: Stability and reactivity

10.1 Reactivity

- Stable under normal condition.

10.2 Chemical stability

- Considered stable under normal conditions

10.3 Possibility of hazardous reactions

- None.

10.4 Conditions to avoid

- Stable under normal condition.

10.5 Incompatible materials

- None in particular.

10.6 Hazardous decomposition products

- None.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity -oral

LD50 oral (mg/kg): 738

Inhalation: Vapour may irritate respiratory system/lungs.

Ingestion: May cause stomach pain or vomiting.

Skin contact: May cause sensitisation by skin contact. May cause serious chemical burns to the skin.

Eye contact: Risk of serious damage to eyes. May cause chemical eye burns.

Acute and chronic health hazards: May cause sensitisation by skin contact. Causes severe burns.

Route of exposure: Skin and/or eye contact Inhalation

SECTION 12: Ecological information

12.1 Toxicity

- diethylmethylbenzenediamine
LC50 (fish): 104 mg/l (96 hr)
EC50 (daphnia): 5.8 mg/l (48 hr)

12.2 Persistence and degradability

- No information available

12.3 Bioaccumulative potential

- No information available

12.4 Mobility in soil

- No information available

12.5 Results of PBT and vPvB assessment

- No information available

12.6 Other adverse effects

- No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Avoid release to the environment. Refer to special instructions/Safety data sheets
- Disposal should be in accordance with local, state or national legislation
- Dispose of contents/container to an authorised waste collection point.
- Do not empty into drains - dispose of this material and container in a safe way

SECTION 14: Transport information

UN No.: 3082

Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class: 9

Packing Group: III

14.1 Air (ICAO/IATA)

- ICAO UN No.: 3082
- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(diethylmethylbenzenediamine)
- ICAO Hazard Class: 9
- ICAO Packing Group: III

14.2 Road/Rail (ADR/RID)

- ADR UN No.: 3082
- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(diethylmethylbenzenediamine)
- ADR Hazard Class: 9
- ADR Classification Code: -
- ADR Packing Group: III

14.3 Sea (IMDG)

- IMDG UN No.: 3082
- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(diethylmethylbenzenediamine)
- IMDG Hazard Class: 9
- IMDG Pack Group.: III

14.4 Environmental hazards

- On available data, substance is not harmful to the environment

14.5 Special precautions for user

- EmS: F-A, S-F
- ADR transport category: 3
- Emergency Action Code: N/A
- Hazard Identification Number: 90
(ADR/RID)
- Tunnel code: (-)

14.6 Transport in bulk according to Annex II of Marpol and the IBC Code

- No information available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830

15.2 Chemical safety assessment

- A REACH chemical safety assessment has not been carried out
-

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H302: Harmful if swallowed. H304: May be fatal if swallowed and enters airways. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.