

Donplast® PC711

High range water reducing admixture based on polycarboxylate polymers



DESCRIPTION

Donplast PC711 is a high range water reducing admixture based on polycarboxylic polymers with selective additives which are specially formulated to comply with ASTM C 494 Type A and F concrete admixture.

The effect of Donplast PC711 can be used to produce high strength, high slump and self consolidating concrete at lower dosage rates and maintain excellent strength and durability.

APPLICATIONS

Donplast PC711 is suitable for use in the following applications:

- » Acts as a high range water reducer for the production of high strength and high-performance concrete.
- » Production of self-compacting concrete.
- » Improves the cohesion of concrete for use in mass concrete pours and piling.
- » Structures with congested reinforcement.
- » Precast, prestressed and ready-mix concrete applications.

ADVANTAGES

- » Optimizes cement utilization.
- » Can be used as a high range and normal range water reducer depending on the used dosage.
- » Reduces permeability of all concrete.
- » Increases the durability and resistance to aggressive atmospheric conditions.
- » Significantly improves early and ultimate compressive strengths.
- » Minimizes segregation and bleeding problems by improving the cohesion of concrete mixes.

COMPATIBILITY

Donplast PC711 is suitable to use with all types of Portland cement and cement replacement materials. Donplast PC711 should not be used in conjunction with other admixtures unless DCP's Technical Department approval is obtained.

STANDARDS

Donplast PC711 complies with the requirements of the Specification for Chemical Admixture for Concrete ASTM C494 as a Type A and F admixture depending on the used dosage.

TECHNICAL PROPERTIES @ 77°F (25°C):

Color:	Light yellow liquid
Specific gravity:	1.08 ± 0.02
pH:	5 - 6
Chloride content:	Chloride-free

METHOD OF USE

Donplast PC711 can be added to the concrete mix at any point during the batch sequence, but for optimization, Donplast PC711 should be added with final mix water.

An automatic dispenser should be used to dispense the correct quantity of Donplast PC711 to the concrete mix.

DOSAGE

The recommended dosage of Donplast PC711 is 2.0 to 20 fl oz/100 lb (130 - 1,300 ml/100 kg) of cement or cementitious materials in the mix including GGBFS, PFA or micro-silica.

Representative trials should be first conducted to determine the optimum dosage of Donplast PC711 to meet the performance requirements by using the materials and conditions in actual use.

EFFECTS OF OVERDOSAGE

Overdosage of Donplast PC711 will cause the following:

- » Increase in workability.

Ultimate concrete strength will not be adversely affected and will generally be increased provided that proper concrete curing is maintained.

CLEANING

Clean Donplast PC711 with fresh cold water.

PACKAGING

Donplast PC711 is available in 5 gal (19 litre) containers as well as 275 gal (1,041 litre) IBC totes. Bulk supply in tanker trucks is also available upon request.



Donplast® PC711

STORAGE

Donplast PC711 has a minimum shelf life of 12 months from date of manufacture if stored at temperatures between 35°F and 122°F (2°C and 50°C).

If these conditions are exceeded, contact DCP Technical Department for advice.

CAUTIONS

HEALTH AND SAFETY

Donplast PC711 is not classified as a hazardous material. Donplast PC711 should not come into contact with skin and eyes.

In case of contact with eyes, immediately flush with plenty of water and seek medical attention.

For further information, refer to the Material Safety Data Sheet.

FIRE

Donplast PC711 is nonflammable.

WARRANTY

Unless expressly stated otherwise in the Sales Documents, the Limited Warranty shall expire on the expiry date listed on the Product's label or packaging. The full text of DCP's limited warranty is found in DCP's standard terms and conditions of sale (the "Terms"), which are available at [DCP Website/USA – Terms & Conditions](#). DCP's limited warranty is in all cases subject to, and conditioned upon, the Terms.

MORE FROM DON CONSTRUCTION PRODUCTS

A wide range of construction chemical products are manufactured by DCP which include:

- » Concrete admixtures.
- » Surface treatments
- » Grouts and anchors.
- » Concrete repair.
- » Flooring systems.
- » Protective coatings.
- » Sealants.
- » Waterproofing.
- » Adhesives.
- » Tile adhesives and grouts.
- » Building products.
- » Structural strengthening.

Don Construction Products Inc.

Lancaster, SC 2970, USA

info.usa@dcp-int.com

www.dcp-int.com

Note:

We endeavour to ensure that any information, advice or recommendation we may give in product literature is accurate and correct. However, because we have no control over where and how products are applied, we cannot accept any liability arising from the use of the products.

www.dcp-int.com

DCP Building Excellence