

Material SAFETY DATA SHEET Flexseal AS111

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Flexseal AS111

Description: Universal silicone sealant

Manufacturer: Ayla for Building Materials Industry & Trade

Al-Karadeh, Arsat Al-Hindia, Baghdad

Tel.: +964 790 1488 730

www.dcp-int.com

Date: 22.02.2024 MSDS Number: DCP/07/03/04

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Silicone polymer, plasticizers.

Hazardous Ingredient(s) Symbol Risk Phrases CAS No. %
Acetoxysilane Xi R34, 37 1 - 5

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

No significant hazard.

4: FIRST AID MEASURES

Eyes: Irrigate with copious quantities of water for several minutes. Obtain

medical attention if necessary.

Skin: Remove contaminated clothing immediately. Wash immediately with

copious quantities of water. Obtain medical advice if skin disorders

develop.

Inhalation: Remove from exposure.

Ingestion: Wash out mouth with water. Obtain medical attention. Do not induce

vomiting.

Issue No.: 01 **Rev. No.:** 03 Flexseal AS111 **Page** 1 of 4



5: FIRE FIGHTING MEASURES

Flash Point: None.

Lower Explosive Limit: None.

Extinguishing Media: Carbon dioxide, powder, foam or water fog – Do not use water jets.

Personal Protective Equipment: full protective clothing and self-contained breathing apparatus.

Special Hazards of Product: Combustion will produce smoke and carbon oxides.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear suitable protective clothing, gloves and eye/face protection.

Environmental Precautions: Prevent entry into drains, sewers and water courses.

Decontamination Procedures: Can be left to solidify normally then collect. Gather into containers.

Dispose off as waste.

7: HANDLING AND STORAGE

Handling: Avoid skin and eye contact. Use in well ventilated area. Avoid inhaling

vapors.

Storage: Store in cool and dry area. Store away from source of ignition.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Contact: Safety glasses/ goggles.

Skin Contact: Wear impervious gloves (e.g. PVC), in case of repeated or prolonged

contact.

Engineering Controls: Use only in well ventilated areas.

Hygiene Measures: Clean up hands after using the product.

Occupational Exposure Limits: None assigned.

9: PHYSICAL AND CHEMICAL PROPERTIES

Form: Soft paste

Colour: White, black and translucent

Odour: Acetic

Boiling Point (°C): Not applicable Flash Point (closed cup) (°C): Not applicable

Autoflammability (°C): > 400

Relative Density (@25°C): 0.93 – 1.01 Water Solubility: Insoluble

Issue No.: 01 **Rev. No.:** 03 Flexseal AS111 **Page** 2 of 4



10: STABILITY AND REACTIVITY

Stability: Stable.

Conditions to Avoid: Reacts with water, basic substances and alcohols. Reaction causes the

formation of acetic acid.

Chemical Incompatibility: None known.

Hazardous Decomposition Products: Thermal combustion will generate carbon oxides, irritating fumes and may

generate a small amount of formaldehyde.

11: TOXICOLOGICAL INFORMATION

Health Effects

On Eyes: May cause slight transient irritation.

On Skin: Unlikely to irritate on brief or occasional exposure. Prolonged use may

cause some local short term skin irritation.

By Inhalation: Low volatility makes inhalation unlikely at ambient temperatures.

By Ingestion: Low order of acute toxicity. May cause irritation of mouth, throat and

digestive tract.

12: ECOLOGICAL INFORMATION

Mobility: Paste. Insoluble in water.

Degradability: The product is expected to be readily biodegradable.

Bioaccumulation: Not expected to be bioaccumulate.

Acute Fish Toxicity: Not expected to be ecotoxic to fish/daphnia/algae.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product: Dispose off in an approved manner. Do not empty into drains, sewers or

water courses.

Used/ Contaminated Product: As for unused product.

Packaging: The method of disposal must be acceptable to the local authority.

14: TRANSPORT INFORMATION

This product is **not** classified as dangerous for transport.

Issue No.: 01 **Rev. No.:** 03 Flexseal AS111 **Page** 3 of 4



15: REGULATORY INFORMATION

Hazard Label Data:

This product is **not** classified as dangerous for supply.

Safety phrases:

S24 Avoid contact with skin.

Use only in well ventilated area.

16: OTHER INFORMATION

Disclaimer: The information contained herein is derived from the best available sources and is

believed to be accurate. However, no guarantee is expressed or implied regarding

the accuracy of the data given in the use of this product.

Issue No.: 01 **Rev. No.:** 03 Flexseal AS111 **Page** 4 of 4