

Material SAFETY DATA SHEET Flexseal NS313

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Flexseal NS313

Description: Neutral cure silicone sealant

Manufacturer: Ayla Construction Chemicals

P.O. Box 1117, Amman 11118 Jordan

Tel. + 962 6 5338891 Fax: + 962 6 5338829

www.dcp-int.com

Date Prepared: 09.10.16

MSDS Number: DCP/07/02/57

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Low modulus silicone sealant.

Hazardous Ingredient(s) Risk Phrases CAS No. % Distillates, petroleum, hydrotreated middle R45, 49 64742-46-7 10-20 Methyl-O,O',O"-butan-2-on-trioximo-silane R20/21/22, 36/37/38 22984-54-9 < 5

2-Butanone oxime R40, 43 96-29-7 < 2

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

Hazard Information: May cause cancer by inhalation.

May cause sensitization by skin contact.

Harmful by inhalation, in contact with skin and if swallowed.

Classification: R20/21/22, 36/37/38

Issue No.: 01 **Rev. No.:** 00 Flexseal NS313 **Page** 1 of 4



4: FIRST AID MEASURES

Eyes: Rinse immediately with plenty of water for 10-15 minutes. Keep eyelids

well open to rinse the whole eye surface and eyelids with water. Seek

medical advice in case of continuous irritation.

Skin: Remove contaminated or soaked clothing. Immediately rinse with plenty

of soap and water. In serious cases, use emergency shower immediately. In the event of a visible skin change or other complaints, seek medical

advice (show label or SDS where possible).

Inhalation: Keep the patient calm. If unconscious place in stable sideways position.

Protect against loss of body heat. Seek medical advice and clearly identify

Substance.

Ingestion: If conscious, give several small portions of water to drink. Do not induce

vomiting. Seek medical advice and clearly identify substance.

5: FIRE FIGHTING MEASURES

Flash Point: None.

Lower Explosive Limit: None.

Extinguishing Media: Water mist, extinguishing powder, alcohol-resistant foam, carbon dioxide,

Sand. Extinguishing media which must not be used for safety reasons is

the Water jet.

Personal Protective Equipment: Use respiratory protection independent of recirculated air.

Special Hazards of Product: Carbon oxides, silicon oxides, nitrogen oxides, incompletely burn

hydrocarbons, toxic and very toxic fumes.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear personal protection equipment.

Environmental Precautions: Prevent material from entering surface waters, drains or sewers and soil.

Decontamination Procedures: Scoop up large quantities after dusting surfaces with sand to prevent

sticking. Sweep the spilled material and place in an appropriate chemical

waste container.

7: HANDLING AND STORAGE

Handling: Avoid skin and eye contact. Use in well ventilated area.

Storage: Store in a dry and cool place. Protect against moisture. Store container in

a well-ventilated place.

Issue No.: 01 **Rev. No.:** 00 Flexseal NS313 **Page** 2 of 4



8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Contact: Protective goggles.

Skin Contact: Wear protective gloves made of butyl rubber or nitrile rubber, protective

clothing.

Engineering Controls: Use only in well ventilated areas.

Hygiene Measures: Wash hands at the end of work and before eating.

Occupational Exposure Limits: None assigned.

9: PHYSICAL AND CHEMICAL PROPERTIES

Form: Paste

Colour: Transparent

Odour: Strong

Boiling Point (°C): Not applicable Flash Point (closed cup) (°C): Not applicable Autoflammability (°C): Not applicable Relative Density (@25°C): 0.95 - 1.05

Water Solubility: Virtually insoluble

10: STABILITY AND REACTIVITY

Stability: Stable.

Conditions to Avoid: Moisture.

Chemical Incompatibility: None known.

Hazardous Decomposition Products: Thermal combustion will generate small amounts of formaldehyde at

temperatures above about 150°C (302°F) through oxidation.

11: TOXICOLOGICAL INFORMATION

Health Effects

On Eyes: Irritating to eyes.
On Skin: Irritating to skin.

By Inhalation: Irritating to respiratory system.

By Ingestion: Low order of acute toxicity. May cause irritation of mouth, throat and

digestive tract.

Issue No.: 01 **Rev. No.:** 00 Flexseal NS313 **Page** 3 of 4



12: ECOLOGICAL INFORMATION

Mobility: Paste. Insoluble in water.

Degradability: The product biologically not degradable. Separation by sedimentation.

Bioaccumulation: Not expected to be bioaccumulate.

Acute Fish Toxicity: Not expected to be ecotoxic to fish/daphnia/algae.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product: Depending on the regulations, waste treatment methods may include,

e.g., landfill or incineration.

Used/ Contaminated Product: Should be treated with the same precautions as the material.

14: TRANSPORT INFORMATION

This product is **not** classified as dangerous for transport.

15: REGULATORY INFORMATION

Hazard Label Data:

This product is **not** classified as dangerous for supply.

Safety phrases:

S2 Keep out of the reach of children.

S36/37/39 Wear suitable protective clothing, gloves and eye/face

protection.

S29/35 Do not empty into drains; dispose of this material and its

container in a safe way.

16: OTHER INFORMATION

Issue Date: 09/10/2016 Revised Date:

Disclaimer: The information contained herein is derived from the best available sources and is

believed to be accurate. However, no guarantee is expressed or implied regarding

the accuracy of the data given in the use of this product.

Issue No.: 01 **Rev. No.:** 00 Flexseal NS313 **Page** 4 of 4