

Material SAFETY DATA SHEET Formcoat WS100

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Formcoat WS100

Description: Formwork chemical release agent

Manufacturer: Ayla Lebanon

Port, Jamarek Street (Face Port Pharmacy), Rbeiz Bldg

Beirut, Lebanon

Tel.: +961 1 444 562 Fax: +961 1 444 563

www.dcp-int.com

Date Prepared: 06.07.14

MSDS Number: DCP/02/02/10

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Unsaturated fatty acid, distillate hydrocarbon and additives.

Hazardous Ingredient(s) Symbol Risk Phrases CAS No. %

Distilled hydrocarbon Xn R40 68334-30-5 30 - 60

 (C_9-C_{20})

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

Hazard Information: Limited evidence of a carcinogenic effect.

Danger of serious damage to health by prolonged exposure.

Harmful to aquatic organisms.

Classification: Xn, N. R40, 48, 52.

4: FIRST AID MEASURES

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes.

Lifting upper and lower eye lids occasionally. Get medical attention

immediately.

Skin: Remove contaminated clothes. Get medical attention. Wash clothes

before reuse.

Inhalation: Remove to fresh air if symptom persists. Obtain medical advice.

Ingestion: Wash out thoroughly the mouth with water. Do not induce vomiting.

Obtain medical advice.

Issue No.: 01 **Rev. No.:** 01 Formcoat WS100 **Page** 1 of 5



5: FIRE FIGHTING MEASURES

Flash Point (Closed Cup): > 95°C.

Extinguishing Media: Carbon dioxide, powder, water fog. Don't Use water jets.

Personal Protective Equipment: Self-contained breathing apparatus and full protective clothing.

Special Exposure Hazards: Toxic fumes. Carbon oxides.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Immediately issue NO SMOKING. Wear suitable protective clothing, gloves

and eye/face protection Caution! Floor and other surfaces may be slippery. Ventilate area of leak or spill. Spillage should be soaked with inert material like earth/sand, do not use flammable material like saw

dust.

Environmental Precautions: Prevent entry into drains, sewers and water courses.

Decontamination Procedures: Recover liquid when possible, collect liquid in appropriate container or

soak up with inert absorbent such as sand. Gather into labeled containers.

Dispose off as applicable regulations.

7: HANDLING AND STORAGE

Handling: Maintain good standards of personal hygiene. Avoid skin and eye contact.

Do not eat, drink or smoke whilst using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory

equipment. Wash hands thoroughly after contact.

Storage: Keep container tightly closed in a cool dry area away from sources of heat

and out of direct sunlight to avoid pressure build up. Store in conformity

with local fire regulations. Store away from sources of ignition.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is

possible.

Skin Protection: Wear impervious clothing, including boots, gloves, lab coats, aprons or

coveralls.

Respiratory Protection: Use only in well ventilated areas.

Hygiene Measures: Change contaminated clothing and clean before re-use.

Engineering Controls: Use only in well ventilated areas. Local exhaust ventilation is

recommended.

Issue No.: 01 **Rev. No.:** 01 Formcoat WS100 **Page** 2 of 5



9: PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid

Colour: Milky white
Odour: Gas oil like
Boiling Point (°C): >100°C

Relative Density (@15°C): 0.88 - 0.90

Water Solubility: Partially soluble

10: STABILITY AND REACTIVITY

Stability: Stable at ambient temperature.

Chemical Incompatibility: Strong oxidizing agents, strong acids and halogens.

Hazardous Polymerization: Incomplete composition will generate smoke, carbon dioxide and

hazardous gases including carbon monoxide.

11: TOXICOLOGICAL INFORMATION

Health Effects

On Eyes: Unlikely to cause more than transient signing or redness, if accidental eye

occurs.

On Skin: Unlikely to cause harm to skin on brief or occasional contact, but

prolonged or repeated exposure may lead to deterministic.

By Inhalation: Can cause irritation to eyes, nose and throat due to exposure to vapor.

By Ingestion: Unlikely to cause harm if accidentally swallowed in small doses. Throw

large quantities may cause nausea, and diarrhea. Will injure the lungs if

aspiration occurs - during vomiting.

12: ECOLOGICAL INFORMATION

Environmental Assessment: Spillages may penetrate the soil causing ground water contamination.

This material may accumulate in sediments.

Mobility: Liquid.

Degradability: This product inherently biodegradable.

Bioaccumulation: There is no evidence to suggest bioaccumulation will occur.

Environmental Toxicity: Harmful to aquatic organisms may cause long term effects in the aquatic

environment. Spill may form a film on water surfaces causing physical

damages to organisms. Oxygen transfer could also be impaired.

Issue No.: 01 **Rev. No.:** 01 Formcoat WS100 **Page** 3 of 5



13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product: Dispose off through an authorized waste contractor to a licensed site.

Used/ Contaminated Product: As for unused product.

Packaging: Must be disposed off through an authorized waste contractor.

14: TRANSPORT INFORMATION

This product is **not** considered as dangerous for transport.

15: REGULATORY INFORMATION

Hazard Label Data: Xn N





Harmful

Dangerous for the environment

Named Ingredients: Fuels, diesel.

Risk Phrases:

R40 Limited evidence of a carcinogenic effect.

R48 Danger of serious damage to health by prolonged

Exposure.

R52 Harmful to aquatic organisms.

Safety Phrases:

S1 Keep locked up.

S23 Do not breathe gas/fumes/vapour/spray.

S24/25 Avoid contact with skin and eyes.

S29 Do not empty into drains.

S36/37 Wear suitable protective clothing and gloves.

S45 In case of accident or if you feel unwell seek medical

advice immediately.

S61 Avoid release to the environment. Refer to special

instruction/safety data sheet.

Issue No.: 01 **Rev. No.:** 01 Formcoat WS100 **Page** 4 of 5



16: OTHER INFORMATION

Issue Date: 06/07/2014 Revised Date: 20.05.2020

Disclaimer: The information contained herein is derived from the best available sources and is

believed to be accurate. However, no guarantee is expressed or implied regarding

the accuracy of the data given in the use of this product.

Issue No.: 01 **Rev. No.:** 01 Formcoat WS100 **Page** 5 of 5