

## Material SAFETY DATA SHEET Hyperplast ES500W

## **1: PRODUCT AND COMPANY IDENTIFICATION**

Product Name:	Hyperplast ES500W
Description:	High performance early strength concrete hyperplasticiser
Manufacturer:	Don Construction Chemicals India LTD
	Tel. +914426185340/41/42
	www.dcp-int.com
Date Prepared:	29.09.19
MSDS Number:	DCP-IND/01/04

### 2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Polycarboxylate, water.

Hazardous Ingredient(s): None of the significant ingredients of this product are classified as hazardous.

Refer to Section 8 for Occupational Exposure Limits.

## **3: HAZARDS IDENTIFICATION**

No significant hazard.

4: FIRST AID MEASURES	
Eyes:	Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists.
Skin:	Wash thoroughly with soap and water or suitable skin cleanser as soon as possible.
Inhalation:	Remove from exposure – unlikely to occur.
Ingestion:	Wash out mouth with water. Don't induce vomiting. Obtain medical attention.

#### 5: FIRE FIGHTING MEASURES

Flash Point:	None, not flammable.
Special Exposure Hazards:	None.
Extinguishing Media:	As surrounding fire.
Personal Protective Equipment:	None.

	Issue No.:	01	Rev. No.:	01	Hyperplast ES500W	Page	1 of 4
--	------------	----	-----------	----	-------------------	------	--------



## **6: ACCIDENTAL RELEASE MEASURES**

Personal Precautions:	Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Soak up with inert absorbent and remove by best available means. Dispose of as waste. Prior consent must be obtained from the local water company if discharged to sewer.

#### 7: HANDLING AND STORAGE

Handling:	Avoid skin and eye contact.
Storage:	Store in cool and dry area. Protect from frost.

#### 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Contact:	Safety glasses/goggles.
Skin Contact:	Impervious gloves (e.g. PVC).
Respiratory Protection:	Unlikely to happen.
Engineering Controls:	No specific ventilation requirement noted.
Exposure Guidelines:	None assigned.

#### 9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Liquid
Colour:	Light yellow
Odour:	Slight /faint
pH (concentrate):	6 - 7
Boiling Point (°C):	> 100
Flash Point (closed cup) (°C):	None
Autoflammability (°C):	Not applicable
Explosive Properties (%):	Not applicable
Freezing Point (°C):	≅ -5
Relative Density (@25°C):	1.03 - 1.07
Water Solubility:	Soluble

Issue No.:	01	Rev. No.:	01
------------	----	-----------	----



## **10: STABILITY AND REACTIVITY**

Stability:Stable.Conditions to Avoid:Temperature below 0°C.Chemical Incompatibility:Oxidizing agents. Strong acids, strong alkalis.Hazardous Decomposition Products:Thermal decomposition yields carbon oxides.

# 11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 2000 mg/kg.

#### **Health Effects**

On Eyes:	May cause slight transient irritation.
On Skin:	Unlikely to irritate on brief occasional exposure.
By Inhalation:	Low volatility makes inhalation unlikely at ambient temperatures.
By Ingestion:	Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.
Chronic:	Long term skin contact may cause some local short term irritation.

#### **12: ECOLOGICAL INFORMATION**

Environmental Assessment:	When used and disposed off as intended, no adverse environmental effects are foreseen.
Mobility:	Mobile liquid. Soluble in water.
Degradability:	Expected to be readily biodegradable.
Bioaccumulation:	Not expected to be bioaccumulative.
Acute Fish Toxicity:	Expected to be ecotoxic to fish/daphnia/algae.

#### **13: DISPOSAL CONSIDERATION**

Disposal must be in accordance with local and national legislation.

Unused Product:	Dispose off through an authorized waste contractor to licensed site.
Used/ Contaminated Product:	As for unused product.
Packaging:	May be steam cleaned and recycled.

## **14: TRANSPORT INFORMATION**

This product is **not** classified as dangerous for transport.

Issue No.:	01	Rev. No.:	01	Hyperplast ES500W Pag	<b>e</b> 3 o	of 4



## **15: REGULATORY INFORMATION**

#### Hazard Label Data:

This product is  $\ensuremath{\textbf{not}}$  classified as dangerous for supply.

29/09/2019

Safety Phrases:

S24/25	Avoid contact with skin and eyes.				
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.				

### **16: OTHER INFORMATION**

Issue Date:

Revised Date: 21.03.2021

Disclaimer: The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.

Issue No.:	01	Rev. No.:	01	Hyperplast ES500W	Page 4 of 4