

SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Product Name: Keyfix AE15 - Hardener

- Product Part Number: C00/03/04/036H

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Catalyst component of Epoxy acrylate resin cartridge system

for anchoring

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Ayla for Building Materials Industry & Trade

- Address of Supplier: Al-Karadeh, Arsat Al-Hindia, Baghdad

Telephone: + 964 790 1488 730
 Email: info.iraq@dcp-int.com

1.4 Emergency telephone number

- Emergency Telephone: + 964 790 1488 730 (available during work hours)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - CLP: Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1
- 2.2 Label elements



- Signal Word: Warning

- Hazard statements

H319 - Causes serious eye irritation.



SECTION 2: Hazards identification (....)

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P273 - Avoid release to the environment.

P501 - Dispose of contents/container to an authorised waste collection point

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P264 - Wash hands and working surfaces thoroughly after handling.

Contains:

BENZOYL PEROXIDE

Labelling notes: On basis of test data. Solid

ASTM D4359-90 2.3 Other hazards

- None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- dibenzoyl peroxide; benzoyl peroxide

CAS Number: 94-36-0 EC Number: 202-327-6 Concentration: 10 - 15%

Categories: Eye Irrit. 2, Skin Sens. 1 Symbols: GHS01, GHS02, GHS07 H Statements: H241, H319, H317

Nonylbenzoate, branched and linear

CAS Number: 670241-72-2 EC Number: 447-010-5 Concentration: 5 - 10%

Categories: Aquatic Chronic 2

Symbols: GHS09 H Statements: H411

- Zinc distearate



SECTION 3: Composition/information on ingredients (....)

CAS Number: 557-05-1
EC Number: 209-151-9
Concentration: 1 - 5%

Categories: Aquatic Acute 1

Symbols: GHS09 H Statements: H400

SECTION 4: First aid measures

- 4.1 Description of first aid measures
 - Wash contaminated clothing before reuse.
 - Inhalation

Remove person to fresh air and keep comfortable for breathing.

Get medical attention if patient feels unwell or if discomfort continues.

- Contact with skin

IF ON SKIN: Wash with plenty of soap and water.

IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

If skin irritation or rash occurs: Get medical advice/attention.

Contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

- Ingestion

Never give anything by mouth to an unconscious person

Do not induce vomiting

Rinse mouth with water (do not swallow)

Get immediate medical advice/attention.

- 4.2 Most important symptoms and effects, both acute and delayed
 - Ingestion

May cause discomfort if swallowed.

- Contact with skin

Causes irritation

- Contact with eyes

Can cause damage to the eyes, skin and mucous membranes

- 4.3 Indication of any immediate medical attention and special treatment needed
 - No information available



SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - In case of fire use foam, carbon dioxide or dry agent
- 5.2 Special hazards arising from the substance or mixture
 - Low hazard expected under normal conditions of use
 - May give off noxious and toxic fumes in a fire
- 5.3 Advice for firefighters
 - Wear self contained breathing apparatus and full protective clothing
 - Avoid breathing dust/fume/gas/mist/vapours/spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Avoid contact with skin and eyes
 - Wear suitable protective clothing
- 6.2 Environmental precautions
 - Avoid release to the environment.
- 6.3 Methods and material for containment and cleaning up
 - Collect as much as possible in clean container for reuse or disposal
- 6.4 Reference to other sections
 - See Section 8 and 13

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 - Wash hands thoroughly after handling.
 - Contaminated work clothing should not be allowed out of the workplace.
 - Avoid release to the environment.
 - Wear protective gloves/protective clothing/eye protection/face protection.
 - Wash contaminated clothing before reuse.
 - Keep away from heat, sparks, open flames and hot surfaces
 - Do not eat, drink or smoke when using this product.
- 7.2 Conditions for safe storage, including any incompatibilities
 - Keep in a cool place away from combustible material
 - Keep at temperature not exceeding 50 °C
- 7.3 Specific end use(s)



SECTION 7: Handling and storage (....)

- No information available

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
 - dibenzoyl peroxide; benzoyl peroxide
 DNEL (oral): 1.6 mg/kg
 DNEL (inhalational): 11.75 mg/m3
 DNEL (dermal): 6.6 mg/kg
- 8.2 Exposure controls







- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Wear nitrile gloves

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Black paste

Odour: Characteristic odourBoiling Point/Range: No information available

- Viscosity: > 60 S ISO2431 Decomposition Temperature > 50 °C

- pH: 5 - 6 - Specific Gravity: 1.5 - 1.6

- Solubility in water: No information available

- 9.2 Other information
 - None

SECTION 10: Stability and reactivity

- 10.1 Reactivity
 - No hazardous reactions known if used for its intended purpose
 - Reacts with acids and alkalis
 - Reacts with amines
 - Reacts with reducing agents
- 10.2 Chemical stability



SECTION 10: Stability and reactivity (....)

- Considered stable under normal conditions
- Decomposes above 50 °C
- 10.3 Possibility of hazardous reactions
 - No hazardous reactions known if used for its intended purpose
- 10.4 Conditions to avoid
 - Do not expose to temperatures exceeding 50°C/ 122°F.
- 10.5 Incompatible materials
 - Incompatible with reducing agents
 - Incompatible with acids and alkalis
 - Incompatible with amines
- 10.6 Hazardous decomposition products
 - Decomposition products may include carbon oxides

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
 - Causes skin irritation.
 - May cause eye irritation
 - May disturb the eyes, skin and mucous membranes

SECTION 12: Ecological information

12.1 Toxicity

- dibenzoyl peroxide; benzoyl peroxide

LC50 (fish): 0.06 mg/l (96 hr) EC50 (Daphnia magna): 0.11 mg/l (48 hr)

M factor (Acute): 10

- Nonylbenzoate, branched and linear

LC50 (fish): > 1.23 mg/l (96 hr) EC50 (Daphnia magna): > 2.2 mg/l (48 hr)

- 12.2 Persistence and degradability
 - No information available
- 12.3 Bioaccumulative potential
 - No information available
- 12.4 Mobility in soil
 - Partly soluble in water
- 12.5 Results of PBT and vPvB assessment



SECTION 12: Ecological information (....)

- No information available

12.6 Other adverse effects

- No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information





UN No.: 3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. CONTAINS BENZOYL PEROXIDE, BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR

14.1 Air (ICAO/IATA)

- ICAO UN No.: 3077

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

- ICAO Packing Group: III - ICAO Division: 9 14.2 Road/Rail (ADR/RID)

- ADR UN No.: 3077

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

ADR Hazard Class: 9ADR Classification Code: M7ADR Packing Group: III

14.3 Sea (IMDG)

- IMDG UN No.: 3077

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

- IMDG Hazard Class: 9
- IMDG Pack Group.: III
14.4 Environmental hazards

- Marine pollutant

14.5 Special precautions for user



SECTION 14: Transport information (....)

- EmS: F-A, S-F

ADR transport category: 3Emergency Action Code: 2ZHazard Identification Number: 90

(ADR/RID)

- Tunnel code: (-)

14.6 Transport in bulk according to Annex II of Marpol and the IBC Code

- Not applicable

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830
- 15.2 Chemical safety assessment
 - A REACH chemical safety assessment has not been carried out

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H241: Heating may cause a fire or explosion. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. H411: Toxic to aquatic life with long lasting effects.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

--- end of safety datasheet ---