

SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
 - Product Name: Keyfix E Base Other means of Identification
 - UFI: -
 - Product Part Number: C01/03/04/015-B
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Use of the substance/mixture: Base part of epoxy resin cartridge system for anchoring
- 1.3 Details of the supplier of the safety data sheet
 - Name of Supplier: Don Construction Products/Jordan
 Address of Supplier: P.O. Box 1117 Amman 11118 Jordan
 - Telephone: + 962 6 533 8891
 Fax: + 962 6 533 8829
 Email: Info.jordan@dcp-int.com
- 1.4 Emergency telephone number
 - Emergency Telephone: + 962 6 533 8891 (available during work hours)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - CLP: Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 2, Skin Sens. 1
- 2.2 Label elements





- Signal Word: Warning

Hazard statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Datasheet Number: C01/03/04/015-B - v2.0.0



SECTION 2: Hazards identification (....)

P501 - Dispose of contents/container to an authorised waste collection point

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P264 - Wash thoroughly after handling.

2.3 Other hazards

- Contains: Reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

 CAS Number:
 25068-38-6

 EC Number:
 500-033-5

 Concentration:
 60 - 80%

Categories: Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2 Specific Concentration Limits: Eye Irrit. 2; H319: $C \ge 5$ % Skin Irrit. 2; H315: $C \ge 5$ %

M factor: No information available

Acute toxicity estimate: Not available Symbols: GHS07, GHS09

H Statements: H319, H315, H317, H411

1,4-bis(2,3 epoxypropoxy)butane; butanedioldiglycidyl ether

 CAS Number:
 2425-79-8

 EC Number:
 219-371-7

 Concentration:
 5 - 15%

Categories: Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1

Specific Concentration Limits: No information available M factor: No information available

Acute toxicity estimate: Not available Symbols: GHS07

H Statements: H332, H312, H319, H315, H317

xylene

 CAS Number:
 1330-20-7

 EC Number:
 215-535-7

 Concentration:
 < 0.5%</td>

Categories: Acute Tox. 4, Skin Irrit. 2 Specific Concentration Limits: No information available

Datasheet Number: C01/03/04/015-B - v2.0.0



SECTION 3: Composition/information on ingredients (....)

M factor: No information available

Acute toxicity estimate: Not available Symbols: GHS02, GHS07

H Statements: H226, H332, H312, H315

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Get medical advice/attention if you feel unwell.

Contact with skin

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention.

Contact with eyes

If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes

Seek immediate medical attention

Continue flushing with water until medical help arrives

Ingestion

Do NOT induce vomiting.

If swallowed, rinse mouth with water (only if the person is conscious)

Get immediate medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes

Irritating to eyes

Contact with skin

Irritating to skin

Inhalation

No specific symptoms known.

- 4.3 Indication of any immediate medical attention and special treatment needed
 - Treat symptomatically

SECTION 5: Firefighting measures

Datasheet Number: C01/03/04/015-B - v2.0.0



SECTION 5: Firefighting measures (....)

- 5.1 Extinguishing media
 - Extinguish with foam, carbon dioxide, dry powder or water spray.
 - Do not use water jets
- 5.2 Special hazards arising from the substance or mixture
 - Nitrogen and carbon oxides may be formed
- 5.3 Advice for firefighters
 - Wear self contained breathing apparatus and full protective clothing

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Wear suitable protective clothing
 - Ensure adequate ventilation
 - Avoid contact with skin and eyes
- 6.2 Environmental precautions
 - Avoid release to the environment.
 - Prevent further spilage if safe
 - Do not allow to enter public sewers and watercourses
- 6.3 Methods and material for containment and cleaning up
 - Collect spillage.
 - Collect as much as possible in clean container for reuse or disposal
 - Avoid release to the environment.
 - Contain spillage with sand, earth or other non-combustible material.
 - Place in appropriate container
 - Wear suitable protective clothing, eye/face protection and gloves
 - This material and its container must be disposed of as hazardous waste
- 6.4 Reference to other sections
 - For personal protection see section 8

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 - Eyewash bottles should be available
 - Do not wear contact lenses when working with this material
 - Dispose of contents/container to an authorised waste collection point
 - Avoid contact with skin and eyes
 - Do not eat, drink or smoke when using this product.
 - Ensure adequate ventilation



SECTION 7: Handling and storage (....)

- Wash thoroughly after handling.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.
- 7.2 Conditions for safe storage, including any incompatibilities
 - Keep away from food, drink and animal feedingstuffs
 - Store in original, correctly labelled and tightly closed containers
 - Store in a dry environment away from direct sunlight.
 - Store in a cool, dry, well ventilated area.
 - Protect from frost
- 7.3 Specific end use(s)
 - No information available

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
 - There are no recommended or established controls for this product
- 8.2 Exposure controls







- Ensure adequate ventilation
- Avoid contact with skin and eyes
- Contaminated work clothing should not be allowed out of the workplace.
- Do not eat, drink or smoke when using this product.
- In case of inadequate ventilation wear respiratory protection.
- Keep away from food, drink and animal feedingstuffs
- Wash thoroughly after handling.
- Wear suitable protective clothing, eye/face protection and gloves

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: LiquidColour: White

Odour: Characteristic odour

- Melting point/Range: Not available

Boiling Point/Range: No information availableFlammability: No information available

Lower explosive limit: NA% (in air)Upper explosive limit: NA% (in air)

Datasheet Number: C01/03/04/015-B - v2.0.0



SECTION 9: Physical and chemical properties (....)

Flashpoint: >93°C
 Autoignition Temperature: NA
 Decomposition temperature: NA

- pH: No information available

- Kinematic viscosity: NA mm²/s

- Solubility: NA

Vapour Pressure: Not available
 Density: 1.21 ± 0.03 g/cm³
 Vapour Density: Not available

- Particle characteristics: NA

- Solubility in water: Immiscible with water

9.2 Other information

9.2.1 Information with Regard to Physical Hazard Classes No Information Available

9.2.2 Other Safety Characteristics No Information Available

SECTION 10: Stability and reactivity

10.1 Reactivity

- No hazardous reactions known if used for its intended purpose

10.2 Chemical stability

- Considered stable under normal conditions

10.3 Possibility of hazardous reactions

- Considerable exothermic reaction can occur when mixed with epoxide hardeners

10.4 Conditions to avoid

- Avoid freezing.
- Avoid exposure to high temperature or direct sunlight.

10.5 Incompatible materials

- Incompatible with acids and alkalis
- Incompatible with oxidizing substances

10.6 Hazardous decomposition products

- Decomposition products may include nitrogen and carbon oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- No information available
- 11.2 Information on other hazards

Datasheet Number: C01/03/04/015-B - v2.0.0



SECTION 11: Toxicological information (....)

11.2.1 Endocrine disrupting properties
No Informaiotion Availble

11.2.2 Information on other hazards
No Information Available

SECTION 12: Ecological information

- 12.1 Toxicity
 - No information available
- 12.2 Persistence and degradability
 - No information available
- 12.3 Bioaccumulative potential
 - No information available
- 12.4 Mobility in soil
 - immiscible with water
- 12.5 Results of PBT and vPvB assessment
 - No information available
- 12.6 Endocrine disrupting properties
 - No information available
- 12.7 Other adverse effects
 - No information available

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
 - Disposal should be in accordance with local, state or national legislation
 - Avoid release to the environment. Refer to special instructions/Safety data sheets
 - Do not empty into drains dispose of this material and container in a safe way
 - Dispose of contents/container to an authorised waste collection point

SECTION 14: Transport information





14.1 Air (ICAO/IATA)

- ICAO UN No.: 3082

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Datasheet Number: C01/03/04/015-B - v2.0.0



SECTION 14: Transport information (....)

ICAO Hazard Class: 9ICAO Packing Group: III

14.2 Road/Rail (ADR/RID)

- ADR UN No.: 3082

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

ADR Hazard Class: 9

14.3 Sea (IMDG)

- IMDG UN No.: 3082

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

IMDG Hazard Class: 9IMDG Packing Group.: III

14.4 Environmental hazards

- No information available
- Marine Pollutant

14.5 Special precautions for user

- No information available

ADR Classification Code: M6
Tunnel Restriction Code: 3 (-)
Tunnel Tank Restriction Codes: LGBV

- Contains: Reaction product: bisphenol-A-(epichlorhydrin); epoxy resin

(number average molecular weight ≤ 700)

- 14.6 Transport in bulk according to Annex II of Marpol and the IBC Code
 - No information available
- 14.7 Maritime transport in bulk according to IMO instruments
 - No information available

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878
- 15.2 Chemical safety assessment
 - A chemical safety assessment (CSA) for this product has not yet been completed

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H226: Flammable liquid and vapour. H312: Harmful in contact with skin. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H332: Harmful if inhaled. H411: Toxic to aquatic life with long lasting effects.



SECTION 16: Other information (....)

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

--- end of safety datasheet ---

Datasheet Number: C01/03/04/015-B - v2.0.0