

Material SAFETY DATA SHEET Keygrout H - Filler

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Keygrout H - Filler			
Description:	Two component polyester repair mortar			
Manufacturer:	Ayla Lebanon			
	Port, Jamarek Street (Face Port Pharmacy)	, Rbeiz Bldg		
	Beirut, Lebanon			
	Tel.: +961 1 444 562 Fax: +961 1 444 563			
	www.dcp-int.com			
Date Prepared:	20.02.2011			
MSDS Number:	DCP/03/04/17H-F			

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Inert fillers, dibenzoyl peroxide.			
Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Dibenzoyl peroxide	Xi	R36, 43	94-36-0	1 - 5

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATI	ON
Hazard Information:	Irritating to eyes. May cause sensitization by skin contact.
Classification:	Xi, R36, 43.
4: FIRST AID MEASURES	
Eyes:	Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists.
Skin:	Wash immediately with soap and plenty of water or suitable skin cleanser.
Inhalation:	Remove from exposure; obtain medical attention if any discomfort continues.
Ingestion:	Rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting. Obtain medical attention if any discomfort continues.

Issue No.:	01	Rev. No.:	01	Keygrout H – Filler Page	e 1 of 4



5: FIRE FIGHTING MEASURES

Extinguishing Media:	CO ₂ , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Personal Protective Equipment:	Wear self-contained respiratory protective device.
Special Exposure Hazards:	Carbon monoxide (CO), Carbon dioxide, cracked hydrocarbons.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid inhalation of dust.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Reuse if possible, or collect in plastic bags, residues can be removed with vacuum cleaner.

7: HANDLING AND STORAGE

 Handling:
 Avoid breathing dust. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid skin and eye contact.

Storage:

Store in a dry, cool area.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Protection:	Safety glasses/goggles.		
Skin Protection:	Use suitable protective gloves.		
Respiratory Protection:	Wear approved dust mask.		
Hygiene Measures:	Wear appropriate clothing to prevent repeated skin contact.		
Engineering Controls:	Use in well ventilated a	rea.	
Exposure Guidelines:			
Silica, crystalline	TWA (8 hours):	10 mg/m ³ (respirable dust).	

9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Powder
Colour:	Green
Odour:	Not applicable
pH (concentrate):	Not applicable
Boiling Point (°C):	Not applicable
Flash Point (closed cup) (°C):	Not applicable
Water Solubility:	Insoluble



10: STABILITY AND REACTIVITY

Stability:

Stable under normal conditions.

Conditions to Avoid:

Chemical Incompatibility:

Direct sunlight.

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e.g. heavy-metal compounds and amines).

Hazardous decomposition products: Hydrocarbons, carbon dioxide and -monoxid.

11: TOXICOLOGICAL INFORMATION

Health Effects

On Eyes:	Irritating and may injure eye tissue if not removed promptly.
On Skin:	Unlikely to irritate on brief or occasional exposure.
By Inhalation:	May cause respiratory irritation.
By Ingestion:	unlikely to occur. Low order of acute toxicity.
Chronic:	Respirable dust constitutes a health hazard if inhaled over long period. Inhalation of free particles of free silica, in the respirable range can give rise to fibrosis of the lung.

12: ECOLOGICAL INFORMATION

Environmental Assessment:	Not expected to be hazardous to the environment.
Mobility:	Insoluble in water.
Degradability:	Not applicable.
Bioaccumulation:	Not expected to be bioaccumulate.
Acute Fish Toxicity:	Not expected to be ecotoxic to fish/ daphnia/ algae.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation. **Unused Product:** Dispose off in an approved manner. Used/ Contaminated Product: As for unused product. Packaging: Must be disposed off as per the local authority.

14: TRANSPORT INFORMATION

The product is **not** classified as dangerous for transport.

Issue No.:	01	Rev. No.:	01	Keygrout H – Filler



15: REGULATORY INFORMATION

Safety Phrases:	S22	Don't breathe dust.	
16: OTHER INFORMA	TION		
Issue Date:	20.02.11	Revised Date:	03.08.2021
Disclaimer:	believed to be accurate	ined herein is derived from the best av e. However, no guarantee is expressed ta given in the use of this product.	