

Material SAFETY DATA SHEET Keygrout V - Filler

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Keygrout V - Filler		
Description:	Two component polyester repair mortar		
Manufacturer:	Don Construction Products		
	P.O. Box 24839, Doha, Qatar		
	Tel. + 974 4 411 4004	Fax: + 974 4 411 4014	
	www.dcp-int.com		
Date Prepared:	20.02.2011		
MSDS Number:	DCP/03/04/17V-F		

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Inert fillers, dibenzoyl peroxide.			
Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Dibenzoyl peroxide	Xi	R36, 43	94-36-0	1 - 5

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION				
Irritating to eyes. May cause sensitization by skin contact.				
Xi, R36, 43.				
Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists.				
Wash immediately with soap and plenty of water or suitable skin cleanser.				
Remove from exposure; obtain medical attention if any discomfort continues.				
Rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting. Obtain medical attention if any discomfort continues.				

Issue No.: 01 Rev. No.: 01 Keygrout V– Filler Page



5: FIRE FIGHTING MEASURES

Extinguishing Media:	CO ₂ , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Personal Protective Equipment:	Wear self-contained respiratory protective device.
Special Exposure Hazards:	Carbon monoxide (CO), carbon dioxide, cracked hydrocarbons.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid inhalation of dust.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Reuse if possible, or collect in plastic bags, residues can be removed with vacuum cleaner.

7: HANDLING AND STORAGE

Handling:

Avoid breathing dust. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid skin and eye contact.

Storage:

Store in a dry, cool area.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Protection:	Safety glasses/goggles.			
Skin Protection:	Use suitable protective gloves.			
Respiratory Protection:	Wear approved dust mask.			
Hygiene Measures:	Wear appropriate clothing to prevent repeated skin contact.			
Engineering Controls:	Use in well ventilated a	irea.		
Exposure Guidelines: Silica, crystalline	TWA (8 hours):	10 mg/m ³ (respirable dust).		

9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Powder
Colour:	Green
Odour:	Not applicable
pH (concentrate):	Not applicable
Boiling Point (°C):	Not applicable
Flash Point (closed cup) (°C):	Not applicable
Water Solubility:	Insoluble



10: STABILITY AND REACTIVITY

Stability:

Stable under normal conditions.

Conditions to Avoid:

Chemical Incompatibility:

Direct sunlight.

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e.g. heavy-metal compounds and amines).

Hazardous decomposition products: Hydrocarbons, carbon dioxide and -monoxid.

11: TOXICOLOGICAL INFORMATION

Health Effects

On Eyes:	Irritating and may injure eye tissue if not removed promptly.
On Skin:	Unlikely to irritate on brief or occasional exposure.
By Inhalation:	May cause respiratory irritation.
By Ingestion:	Unlikely to occur. Low order of acute toxicity.
Chronic:	Respirable dust constitutes a health hazard if inhaled over long period. Inhalation of free particles of free silica, in the respirable range can give rise to fibrosis of the lung.

12: ECOLOGICAL INFORMATION

Environmental Assessment:	Not expected to be hazardous to the environment.
Mobility:	Insoluble in water.
Degradability:	Not applicable.
Bioaccumulation:	Not expected to be bioaccumulate.
Acute Fish Toxicity:	Not expected to be ecotoxic to fish/daphnia/algae.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation. **Unused Product:** Dispose off in an approved manner. Used/ Contaminated Product: As for unused product. Packaging: Must be disposed off as per the local authority.

14: TRANSPORT INFORMATION

The product is **not** classified as dangerous for transport.

Issue No.:	01	Rev. No.:	01	Keygrout V– Filler



15: REGULATORY INFORMATION

Safety Phrases:	S22	Don't breathe dust.	
16: OTHER INFORMA	TION		
Issue Date:	20.02.11	Revised Date:	03.08.2021
Disclaimer:	believed to be accurate	ned herein is derived from the best ava e. However, no guarantee is expressed a given in the use of this product.	