

Material SAFETY DATA SHEET Probuild PF200

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Probuild PF200
Description:	Ready to use acrylic pinhole filler and smooth finishing paste
Manufacturer:	Ayla for Building Materials Industry & Trade
	Al-Karadeh, Arsat Al-Hindia, Baghdad
	Tel.: +964 790 1488 730
	www.dcp-int.com
Date Prepared:	22.12.2021
MSDS Number:	DCP/11/05/62

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Water, calcium carbonate and styrene acrylic copolymer.			
Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Water Calcium carbonate	-	-	7732-18-5 471-34-1	20 – 40 40 – 60
Styrene acrylic copolymer	-	-	25586-20-3	5 - 15

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

No significant hazard.

4: FIRST AID MEASURES

Eyes:	Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists.
Skin:	Wash thoroughly with soap and water or suitable skin cleanser as soon as possible.
Inhalation:	Remove from exposure – unlikely to occur.
Ingestion:	Wash out mouth with water. Don't induce vomiting. Obtain medical attention.

Issue No.:	01	Rev. No.:	00	Probuild PF200 Pag	e	1 of 4
------------	----	-----------	----	--------------------	---	--------



5: FIRE FIGHTING MEASURES

Flash Point:	None.
Special Exposure Hazards:	Material can splatter above 100°C. Polymer film can burn. Irritant fumes.
Extinguishing Media:	Carbon dioxide, powder, foam or water fog – Do not use water jets.
Personal Protective Equipment:	Self-contained breathing apparatus.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Soak up with inert absorbent like sand and remove by best available means. Gather into containers.

7: HANDLING AND STORAGE

Handling:	Avoid skin and eye contact.
Storage:	Store in cool and dry area. Protect from frost.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ingestion:	Prevent eating, drinking or smoking in the area of product use.
Eye Contact:	Safety glasses/goggles.
Skin Contact:	Impervious gloves (e.g. PVC).
Respiratory Protection:	In case of insufficient ventilation wear suitable equipment. Change contaminated clothing and clean before re-use.
Engineering Controls:	No specific ventilation requirement noted.
Exposure Guidelines:	None assigned.

Issue No.:	01	Rev. No.:	00	Probuild PF200	Page 2 of 4



9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Paste
Colour:	White lump-free
Odour:	Acrylic
pH (concentrate):	8 - 9
Boiling Point (°C):	100°C
Flash Point (closed cup) (°C):	None
Autoflammability (°C):	Not determined
Explosive Properties (%):	Not known
Relative Density (@25°C):	1.6 - 1.8
Water Solubility:	Emulsifiable

10: STABILITY AND REACTIVITY

Stability:	Stable.
Conditions to Avoid:	Temperature below 2°C.
Chemical Incompatibility:	None known.
Hazardous Decomposition Products:	Thermal decomposition may yield acrylic monomers.

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 2000 mg/kg.

Health Effects

On Eyes:	May cause transient irritation.
On Skin:	Unlikely to irritate on brief occasional exposure.
By Inhalation:	Low volatility makes inhalation unlikely at ambient temperatures.
By Ingestion:	Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.

12: ECOLOGICAL INFORMATION

Environmental Assessment:	When used and disposed off as intended, no adverse environmental effects are foreseen.			
Mobility:	Mobile liquid. Emulsifiable in water.			
Degradability:	Inherently biodegradable.			
Bioaccumulation:	Not expected to be bioaccumulative.			
Acute Fish Toxicity:	Not expected to be ecotoxic to fish/ daphnia/ algae.			

Issue No.:	01	Rev. No.:	00	Probuild PF200	Page	3 of 4	



13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product:	Dispose off in an approved manner. Do not empty into drains, sewers or water courses.
Used/ Contaminated Product:	As for unused product.
Packaging:	May be steam cleaned and recycled.

14: TRANSPORT INFORMATION

This product is **not** classified as dangerous for transport.

15: REGULATORY INFORMATION

Hazard Label Data:

This product is **not** classified as dangerous for supply.

22.12.2021

Safety Phrases:

S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

16: OTHER INFORMATION

Issue Date:

Revised Date:

Disclaimer: The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.

7. N	01		00	Probuild PE200	D 4 6 4
Issue No.:	01	Rev. No.:	00	Probuild PF200	Page 4 of 4