

Material SAFETY DATA SHEET Probuild PF200

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Probuild PF200	
Description:	Ready to use acrylic pinhole filler an	nd smooth finishing paste
Manufacturer:	Don Construction Products/Jore	dan
	P.O. Box 1117, Amman 11118 Jorda	an
	Tel. + 962 6 5338891	Fax: + 962 6 5338829
	www.dcp-int.com	
Date Prepared:	17.11.16	
MSDS Number:	DCP/11/05/62	

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Paste mixture of acrylic polymer, pigments and fillers.
--------------	---

Hazardous Ingredient(s) None of the ingredients of this product are classified as hazardous.

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

No significant hazard.

4: FIRST AID MEASURES

Eyes:	Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists.
Skin:	Wash thoroughly with soap and water or suitable skin cleanser as soon as possible.
Inhalation:	Remove from exposure – unlikely to occur.
Ingestion:	Wash out mouth with water. Don't induce vomiting. Obtain medical attention.

1						
Issue No.:)1	Rev. No.:	01	Probuild PF200	Page	1 of 4



5: FIRE FIGHTING MEASURES

Flash Point:	None.
Special Exposure Hazards:	Material can splatter above 100°C. Polymer film can burn. Irritant fumes.
Extinguishing Media:	Carbon dioxide, powder, foam or water fog – Do not use water jets.
Personal Protective Equipment:	Self-contained breathing apparatus.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Soak up with inert absorbent like sand and remove by best available means. Gather into containers.

7: HANDLING AND STORAGE

Handling:	Avoid skin and eye contact.
Storage:	Store in cool and dry area. Protect from frost.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ingestion:	Prevent eating, drinking or smoking in the area of product use.
Eye Contact:	Safety glasses/goggles.
Skin Contact:	Impervious gloves (e.g. PVC).
Respiratory Protection:	In case of insufficient ventilation wear suitable equipment. Change contaminated clothing and clean before re-use.
Engineering Controls:	No specific ventilation requirement noted.
Exposure Guidelines:	None assigned.

Issue No.:	01	Rev. No.: 0	1 Probuild PF200	Page 2 of 4
133uc No	01	Rev. No 0		



9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Paste
Colour:	White lump-free
Odour:	Acrylic
pH (concentrate):	8 - 9
Boiling Point (°C):	100°C
Flash Point (closed cup) (°C):	None
Autoflammability (°C):	Not determined
Explosive Properties (%):	Not known
Relative Density (@25°C):	1.6 - 1.8
Water Solubility:	Emulsifiable

10: STABILITY AND REACTIVITY

Stability:	Stable.
Conditions to Avoid:	Temperature below 2°C.
Chemical Incompatibility:	None known.
Hazardous Decomposition Products:	Thermal decomposition may yield acrylic monomers.

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 2000 mg/kg.

Health Effects

On Eyes:	May cause transient irritation.
On Skin:	Unlikely to irritate on brief occasional exposure.
By Inhalation:	Low volatility makes inhalation unlikely at ambient temperatures.
By Ingestion:	Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.

12: ECOLOGICAL INFORMATION

Environmental Assessment:	When used and disposed off as intended, no adverse environmental effects are foreseen.
Mobility:	Mobile liquid. Emulsifiable in water.
Degradability:	Inherently biodegradable.
Bioaccumulation:	Not expected to be bioaccumulative.
Acute Fish Toxicity:	Not expected to be ecotoxic to fish/ daphnia/ algae.

Issue No.:	01	Rev. No.: ()1	Probuild PF200	Page	3 of 4	



13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product:	Dispose off in an approved manner. Do not empty into drains, sewers or water courses.
Used/ Contaminated Product:	As for unused product.
Packaging:	May be steam cleaned and recycled.

14: TRANSPORT INFORMATION

This product is **not** classified as dangerous for transport.

15: REGULATORY INFORMATION

Hazard Label Data:

This product is **not** classified as dangerous for supply.

Safety Phrases:

S24/25	Avoid contact with skin and eyes.					
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.					

16: OTHER INFORMATION						
Issue Date:	17.11.16	Revised Date:	22.12.2021			
Disclaimer:	The information contained herein is der believed to be accurate. However, no g					

the accuracy of the data given in the use of this product.

Issue No.:	01	Rev. No.:	01	Probuild PF200	Page	4 of 4