



Material SAFETY DATA SHEET

Proset AFP

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: **Proset AFP**

Description: Alkali-free powder accelerator for dry-mix sprayed concrete

Manufacturer: **Don Construction Chemicals India LTD**
Tel. +914426185340/41/42
www.dcp-int.com

Date Prepared: 06.06.16

MSDS Number: DCP-IND/01/08

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Aluminum sulphate and additives.

Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Aluminum sulphate	Xi	R41	10043-01-3	90 - 100

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

Hazard Information: Risk of serious damage to eyes.
Corrosive to metals.
Irritating to eyes, respiratory system and skin.

Classification: Xi. R41, 36/37/38.

4: FIRST AID MEASURES

Eyes: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention. Finish by rinsing thoroughly with running water to avoid a possible infection.

Skin: Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.

Inhalation: If inhaled, remove to fresh air. Get medical attention.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.

5: FIRE FIGHTING MEASURES

Flash Point:	None, not flammable.
Special Exposure Hazards:	None.
Extinguishing Media:	As surrounding fire.
Personal Protective Equipment:	Self-contained breathing apparatus should be used.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Soak up with inert absorbent and remove by best available means.

7: HANDLING AND STORAGE

Handling:	Avoid skin and eye contact. Avoid generating dust.
Storage:	Store in cool and dry area. Protect from frost.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Contact:	Safety glasses/goggles.
Skin Contact:	Impervious gloves (e.g. PVC).
Respiratory Protection:	Approved dust mask.
Engineering Controls:	No specific ventilation requirement noted.
Exposure Guidelines:	None assigned.

9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Powder
Colour:	White
Odour:	Slight /faint
Boiling Point (°C):	Not applicable
Flash Point (closed cup) (°C):	Not applicable
Freezing Point (°C):	Not applicable
pH:	4 ± 1 (1% solution)
Relative Density (@25°C):	800 – 1000 kg/m ³
Water Solubility:	Soluble

10: STABILITY AND REACTIVITY

Stability:	Stable under normal conditions.
Conditions to Avoid:	Temperature below 0°C.
Chemical Incompatibility:	Oxidizing agents. Strong acids, strong alkalis. Incompatible with mild steel, aluminum, galvanized iron or brass. Also incompatible with alkaline materials.
Hazardous Decomposition Products:	None.

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components.

Health Effects

On Eyes:	Will cause mild short term irritation.
On Skin:	May cause irritation in some individuals. Repeated or prolonged contact may cause irritant contact dermatitis.
By Inhalation:	Not an irritant due to low vapour pressure.
By Ingestion:	May be harmful if swallowed. May cause gastric irritation. May result in nausea, vomiting and diarrhoea.
Chronic:	Not applicable.

12: ECOLOGICAL INFORMATION

Environmental Assessment:	When used and disposed off as intended, no adverse environmental effects are foreseen. Avoid contaminating waterways.
Mobility:	Mobile liquid. Soluble in water.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product:	Dispose off through an authorized waste contractor to licensed site. Prevent entry into drains, sewers and water courses
Used/ Contaminated Product:	As for unused product.
Packaging:	May be steam cleaned and recycled.

14: TRANSPORT INFORMATION



UN Number: 3260
 Transport Name: Corrosive solid, acidic, inorganic, n.o.s (aluminum sulphate)

Transport Type:		Class:	Pack Group:	Marine Pollutant
At Sea	IMDG	8	III	No
Air Transport	IATA/ICAO	8	III	
At land	RID/ADR	8	III	

15: REGULATORY INFORMATION

Hazard Label Data:

Xi



Irritant

Contains: Aluminum sulphate.

Risk Phrases:

R41 Risk of serious damage to eyes.
 R36/37/38 Irritating to eyes, respiratory system and skin.
 Corrosive to metals.

Safety Phrases:

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
 S22 Do not breathe dust.
 S46 If swallowed, seek medical advice immediately and show label.
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S49 Keep only in the original container.

16: OTHER INFORMATION

Issue Date: 06/06/2016 Revised Date: 09.11.2017

Disclaimer: The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.