

SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
 - Product Name: Quickmast 173 AC

Other means of Identification

- UFI: -
- Product Part Number: C08/05/03/071
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Use of the substance/mixture: Acrylic floor sealer and curing compound
- 1.3 Details of the supplier of the safety data sheet
 - Name of Supplier: Don Construction Products Bulgaria
 Address of Supplier: 152 Prof. Tsvetan Lazarov blvd.

Techno Park Sofia, fl. 3

Sofia 1582 Bulgaria

- Telephone: + 359 2 870 2782 - Fax: + 359 2 870 2761

- Email: Info.bulgaria@dcp-int.com

- 1.4 Emergency telephone number
 - Emergency Telephone: National Poison Information Centre

Tel.: + 359 2 9154 409 Tel.: + 359 2 9154 233

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - CLP: Flam. Liq. 3, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, STOT RE 2
- 2.2 Label elements









Signal Word: Danger

Hazard statements

H226 - Flammable liquid and vapour. H312 - Harmful in contact with skin.

Datasheet Number: C08/05/03/071 - v2.0.0



SECTION 2: Hazards identification (....)

H332 - Harmful if inhaled.

H373 - May cause damage to organs through prolonged or repeated exposure.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P501 - Dispose of contents/container to an authorised waste collection point

P403+P235 - Store in a well-ventilated place. Keep cool.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P405 - Store locked up.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P321 - Specific treatment (see on this label).

P264 - Wash thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

2.3 Other hazards

- Contains: Reaction mass of ethylbenzene and xylene

SECTION 3: Composition/information on ingredients

3.2 Mixtures

reaction mass of ethylbenzene and xylene

CAS Number: -

EC Number: 905-588-0 Concentration: 60 - 80%

Categories: Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2

Specific Concentration Limits: No information available M factor:

No information available

Acute toxicity estimate: Not available

Symbols: GHS02, GHS08, GHS07

H Statements: H226, H304, H312, H315, H319, H332, H335, H373

Aluminium sulphate

CAS Number: 10043-01-3 EC Number: 233-135-0

Datasheet Number: C08/05/03/071 - v2.0.0



SECTION 3: Composition/information on ingredients (....)

Concentration: 20 - 30%

Categories: Met. Corr. 1, Eye Dam. 1
Specific Concentration Limits: No information available
M factor: No information available

Acute toxicity estimate: Not available Symbols: GHS05
H Statements: H290, H318

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Get medical advice/attention if you feel unwell.

Contact with skin

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water

Get medical advice/attention if you feel unwell.

Contact with eyes

If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek immediate medical attention

Continue flushing with water until medical help arrives

Ingestion

Do NOT induce vomiting.

Rinse mouth with water (do not swallow)

Seek medical attention if ill effects occur

4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes

No information available

Contact with skin

No information available

Inhalation

No information available

4.3 Indication of any immediate medical attention and special treatment needed

Datasheet Number: C08/05/03/071 - v2.0.0

SECTION 4: First aid measures (....)

Treat symptomatically

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - Extinguish with foam, carbon dioxide, dry powder or water spray.
 - Do not use water jets
- 5.2 Special hazards arising from the substance or mixture
 - Burning produces irritating, toxic and obnoxious fumes.
 - Decomposition products may include nitrogen and carbon oxides
- 5.3 Advice for firefighters
 - Prevent run off water from entering drains if possible
 - Wear self contained breathing apparatus and full protective clothing
 - Do not allow run-off water to enter sewers and water sources.
 - May give off noxious and toxic fumes in a fire
 - Stop leak if safe to do so.
 - Keep container(s) exposed to fire cool, by spraying with water

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Shut off all ignition sources
 - Use non-sparking handtools
 - Wear suitable respiratory protection
 - Do not allow to enter public sewers and watercourses
 - Ventilate area
 - Evacuate the area and keep personnel upwind
 - Keep away from heat and sources of ignition
 - Wear protective clothing as per section 8
 - Avoid breathing dust/fume/gas/mist/vapours/spray.
- 6.2 Environmental precautions
 - Avoid release to the environment.
 - Prevent further spilage if safe
- 6.3 Methods and material for containment and cleaning up
 - Absorb spillage in earth or sand
 - Absorb spillage in inert material and shovel up
 - Place in appropriate container
 - Wash thoroughly after dealing with spillage
 - Shut off all ignition sources
 - This material and its container must be disposed of as hazardous waste

Datasheet Number: C08/05/03/071 - v2.0.0



SECTION 6: Accidental release measures (....)

6.4 Reference to other sections

- For personal protection see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Eyewash bottles should be available
- Do not wear contact lenses when working with this material
- Dispose of contents/container to an authorised waste collection point
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use explosion-proof [electrical/ventilating/lighting/
- Use non-sparking tools.
- Take action to prevent static discharges.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Wash thoroughly after handling.
- Keep away from heat, sparks, open flames and hot surfaces
- Use only outdoors or in a well-ventilated area.

7.2 Conditions for safe storage, including any incompatibilities

- Store in a well-ventilated place. Keep container tightly closed.
- Store in a well-ventilated place. Keep cool.
- Store locked up.
- Ground and bond container and receiving equipment.
- Use explosion-proof ventilating and lighting equipment.
- Keep cool. Protect from sunlight.
- Keep only in the original container at a temperature not exceeding 35 °C
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3 Specific end use(s)

- No information available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- There are no recommended or established controls for this product

8.2 Exposure controls















 Engineering controls should be provided which maintain airborne concentrations as low as practicable

Datasheet Number: C08/05/03/071 - v2.0.0



SECTION 8: Exposure controls/personal protection (....)

- In case of insufficient ventilation, wear suitable positive pressure respiratory protection equipment
- Wear suitable protective clothing, eye/face protection and gloves
- During fumigation/spraying wear suitable respiratory equipment
- Wear anti-static clothing and shoes

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid
 Colour: Colourless
 Odour: Aromatic odour
 Melting point/Range: Not available

Boiling Point/Range: No information availableFlammability: No information available

Lower explosive limit: NA% (in air)
 Upper explosive limit: NA% (in air)
 Flashpoint: 23 - 29°C
 Autoignition Temperature: NA

Autoignition Temperature: NADecomposition temperature: NA

pH: No information available

- Kinematic viscosity: NA mm²/s

- Solubility: NA

Vapour Pressure: Not available
 Density: 0.9 ± 0.02 g/cm³
 Vapour Density: Not available

- Particle characteristics: NA

Solubility in water: Immiscible with water

9.2 Other information

9.2.1 Information with Regard to Physical Hazard Classes

No Information Available

9.2.2 Other Safety Characteristics
No Information Available

SECTION 10: Stability and reactivity

10.1 Reactivity

- No hazardous reactions known if used for its intended purpose

10.2 Chemical stability

- Considered stable under normal conditions

10.3 Possibility of hazardous reactions

Datasheet Number: C08/05/03/071 - v2.0.0

SECTION 10: Stability and reactivity (....)

- May form explosive vapour/air mixtures

10.4 Conditions to avoid

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep away from static electricity
- Keep away from naked flames, incandescent or hot surfaces

10.5 Incompatible materials

- Incompatible with oxidizing substances
- Incompatible with acids and alkalis

10.6 Hazardous decomposition products

- Decomposition products may include toxic fumes
- Decomposition products may include nitrogen and carbon oxides

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
 - No information available
- 11.2 Information on other hazards
 - 11.2.1 Endocrine disrupting properties
 No Informaiotion Availble
 - 11.2.2 Information on other hazards
 No Information Available

SECTION 12: Ecological information

12.1 Toxicity

- No information available
- 12.2 Persistence and degradability
 - No information available
- 12.3 Bioaccumulative potential
 - No information available
- 12.4 Mobility in soil
 - immiscible with water
- 12.5 Results of PBT and vPvB assessment
 - No information available
- 12.6 Endocrine disrupting properties
 - No information available
- 12.7 Other adverse effects

Datasheet Number: C08/05/03/071 - v2.0.0



SECTION 12: Ecological information (....)

- No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
- Avoid release to the environment. Refer to special instructions/Safety data sheets
- Do not empty into drains dispose of this material and container in a safe way
- Dispose of contents/container to an authorised waste collection point

SECTION 14: Transport information





14.1 Air (ICAO/IATA)

- ICAO UN No.: 3383

- Proper Shipping Name: TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.

ICAO Hazard Class: 6.1ICAO Packing Group: I

14.2 Road/Rail (ADR/RID)

- ADR UN No.: 3383

Proper Shipping Name: TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.

- ADR Hazard Class: 6.1

14.3 Sea (IMDG)

- IMDG UN No.: 3383

- Proper Shipping Name: TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.

- IMDG Hazard Class: 6.1- IMDG Packing Group.: I

14.4 Environmental hazards

- No information available

14.5 Special precautions for user

- No information available

ADR Classification Code: TF1
 Tunnel Restriction Code: 1 (C/D)
 Tunnel Tank Restriction Codes: L15CH

- Contains: Reaction mass of ethylbenzene and xylene

14.6 Transport in bulk according to Annex II of Marpol and the IBC Code

- No information available

Datasheet Number: C08/05/03/071 - v2.0.0



SECTION 14: Transport information (....)

- 14.7 Maritime transport in bulk according to IMO instruments
 - No information available

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878
- 15.2 Chemical safety assessment
 - A chemical safety assessment (CSA) for this product has not yet been completed

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H226: Flammable liquid and vapour. H290: May be corrosive to metals. H304: May be fatal if swallowed and enters airways. H312: Harmful in contact with skin. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation. H373: May cause damage to organs through prolonged or repeated exposure.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

--- end of safety datasheet ---

.

Datasheet Number: C08/05/03/071 - v2.0.0