

Material SAFETY DATA SHEET Quickmast EC300 – Hardener

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: **Quickmast EC300 - Hardener**

Description: Water dispersible epoxy based tile adhesive and grout

Manufacturer: **Don Construction Products/Jordan**

P.O. Box 1117, Amman 11118 Jordan

Tel. + 962 6 5338891 Fax: + 962 6 5338829

www.dcp-int.com

Date Prepared: 02.11.2021

MSDS Number: DCP/04/02/62-H

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Curing agent, wetting and dispersing additive.

Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Polyaminoamide I -	-	-	-	8 - 17
3,6,9,12-tetraazatetradecamethylenediamine	-	-	4067-16-7	0.25 - 1.5
Polyamine amide salt	-	-	-	0.5-1
Xylene, mixture of isomers	-	-	1330-20-7	0.3-0.5
Ethylbenzene	-	-	100-41-4	< 0.1

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

Hazard Information: Harmful by inhalation and if swallowed.

Irritating to respiratory system and skin.

Risk of serious damage to eyes.

May cause sensitization by skin contact.

Very Toxic to aquatic organisms, may cause long-term effects in aquatic

environment.

Classification: Xi, N. 20/21, 37/38, 41, 43, 50/53



4: FIRST AID MEASURES

Eyes: Rinse immediately with plenty of water, also under the eyelids for at least

20 minutes. Remove contact lenses. If eye irritation persists, consult a

specialist.

Skin: Wash off immediately with plenty of water for at least 20 minutes.

Immediately remove contaminated clothing, and any extraneous chemical, if possible to do so without delay. Take off contaminated shoe immediately. NOTE TO PHYSICIANS: Application of corticosteroid cream

has been effective in treating.

Inhalation: Move to fresh air. If breathing has stopped or is labored, give assisted

respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation

immediately. Move to fresh air.

Ingestion: Rinse mouth. If a person vomits when lying on his back, place him in the

recovery position. Prevent aspiration of vomit. Turn victim's head to the side. Do not give milk or alcoholic Beverages. Never give anything by

mouth to an unconscious person. Obtain medical attention.

General Advice: Move out of dangerous area. Seek medical advice. If breathing has

stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should

begin cardiopulmonary resuscitation immediately.

5: FIRE FIGHTING MEASURES

Flash Point: None.

Special Exposure Hazards: May generate ammonia gas. May generate toxic nitrogen oxide gases.

Use of water may result in the formation of very toxic aqueous solutions. Do not allow run-off from fire fighting to enter drains or water courses. Incomplete combustion may form carbon monoxide. Ammonia gas may be liberated at high temperatures. In case of incomplete combustion an

increased formation of oxides of nitrogen (NOx) is to be expected.

Downwind personnel must be evacuated. Burning produces noxious and

toxic fumes.

Extinguishing Media: Alcohol-resistant foam, carbon dioxide (CO₂), dry chemical. Extinguishing

media which shall not be used for safety reasons:

High volume water jet.

Personal Protective Equipment: Use personal protective equipment. Wear self contained breathing

apparatus for firefighting if necessary.



6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use self-contained breathing apparatus and chemically protective clothing.

Wear suitable protective clothing, gloves and eye/face protection. Evacuate personnel to safe areas. Ensure adequate ventilation. Remove

all sources of ignition.

Environmental Precautions: Do not flush into surface water or sanitary sewer system. Construct a dike

to prevent spreading.

Decontamination Procedures: Dam up with absorbing material, e.g. sand. Take up mechanically; fill into

labeled, closable containers. Use the necessary protective equipment

when handling.

7: HANDLING AND STORAGE

Handling: Emergency showers and eye wash stations should be readily accessible.

Adhere to work practice rules established by government regulations. Avoid contact with eyes. Avoid breathing vapors and/or aerosols. Use personal protective equipment. When using, do not eat, drink or smoke.

Storage: Keep away from alkali. Do not store near acids Keep containers tightly

closed in a dry, cool and well-ventilated place.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ingestion: Prevent eating, drinking or smoking in the area of product use.

Eye Contact: Chemical resistant goggles must be worn.

Skin Contact: Impervious clothing and gloves. The breakthrough time of the selected

glove(s) must be greater than the intended use period. Wear long sleeve

shirts and trousers without cuffs.

Respiratory Protection: Wear appropriate respirator when ventilation is inadequate.

Engineering Controls: Provide readily accessible eye wash stations and safety showers. Provide

natural or explosion-proof ventilation adequate to ensure concentration

are kept below exposure limits.

Exposure Guidelines: Construct a dike to prevent spreading.



9: PHYSICAL AND CHEMICAL PROPERTIES

Form: Cloudy

Colour: Yellowish

Odour: Characteristic pH (concentrate): Not applicable

Boiling Point (°C): Not applicable

Flash Point (closed cup) (°C): None

Autoflammability (°C): Not applicable

Explosive Properties (%): Not known Relative Density (@25°C): 0.99 - 1.05

Water Solubility: Not applicable

10: STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: Heat, flames and sparks.

Chemical Incompatibility: Sodium hypochlorite, Organic acids, Mineral acids, Incompatible with

bases, Reaction with peroxide may result in violent decomposition of peroxide possibly creating an explosion, Amines, Reducing agents and

Oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Nitrogen oxides, Nitrogen oxide can

react with water vapor to form corrosive nitric acid, Ammonia, Organic

acid vapor.

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 5000 mg/kg.

Health Effects

On Eyes: Severe eye irritation.
On Skin: Severe skin irritation.

By Inhalation: No data is available on the product itself. By Ingestion: No data is available on the product itself.



12: ECOLOGICAL INFORMATION

Environmental Assessment:

Mobility:

Degradability:

No data available.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product: Do not dispose of waste into sewer. Do not contaminate ponds,

waterways or ditches with chemical or used container. Dispose off in an approved manner. Do not empty into drains, sewers or water courses.

Used/ Contaminated Product: As for unused product.

Packaging: Dispose of container and unused contents in accordance with federal,

state, and local requirements.

14: TRANSPORT INFORMATION



UN Number: 3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.

Transport Type:		Class:	Pack Group:	Marine Pollutant
At Sea	IMO	9	III	No
Air Transport	IATA/ICAO	9	III	
At land	RID/ADR	9	III	



15: REGULATORY INFORMATION

Hazard Label Data:

Xi

Ν





Irritant

Dangerous for the environment

Symbol (s): Xi, N

Risk Phrases:

R20/21 Harmful by inhalation, and in contact with skin.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitization by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term

effects in aquatic environment.

Safety Phrases:

S26 In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face

protection.

S61 Avoid release to the environment. Refer to special

instructions/ safety data sheets.

16: OTHER INFORMATION

Issue Date: 02.11.2021 Revised Date:

Disclaimer: The information contained herein is derived from the best available sources and is

believed to be accurate. However, no guarantee is expressed or implied regarding

the accuracy of the data given in the use of this product.

Issue No.: 01 **Rev. No.:** 00 Quickmast EC300 - Hardener **Page** 6 of 6