

Created: 09 Aug 2022

---

## SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Product Name: Quickmast PTS - Base
- Product Part Number: C12/04/02/076B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Base component of three part Flexible solvent free polyurethane joints transition strip mortar

#### 1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Ayla for Building Materials Industry & Trade
- Address of Supplier: Al-Karadeh, Arsat Al-Hindia  
Baghdad
- Telephone: + 964 790 1488 730
- Email: info.iraq@dcp-int.com

#### 1.4 Emergency telephone number

- Emergency Telephone: + 964 790 1488 730 (available during work hours)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

- CLP: Eye Dam. 1, Aquatic Chronic 1

#### 2.2 Label elements



- Signal Word: Danger
- Hazard statements
  - H318 - Causes serious eye damage.
  - H410 - Very toxic to aquatic life with long lasting effects.
- Precautionary statements
  - P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

---

## SECTION 2: Hazards identification (....)

- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P308+P313 - IF exposed or concerned: Get medical advice/attention.
- P281 - Use personal protective equipment as required.
- P201 - Obtain special instructions before use.
- P273 - Avoid release to the environment.
- P501 - Dispose of contents/container to an authorised waste collection point
- P391 - Collect spillage.
- P202 - Do not handle until all safety precautions have been read and understood.

### 2.3 Other hazards

- Contains: Ceramic materials and wares, chemicals (Calcined kaolin)

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

- Polyester polyol
  - CAS Number: -
  - EC Number: -
  - Concentration: 20 - 50%
  - Categories:
- alkanes, C14-17, chloro; chlorinated paraffins, C14-17
  - CAS Number: 85535-85-9
  - EC Number: 287-477-0
  - Concentration: 20 - 50%
  - Categories: Aquatic Acute 1, Aquatic Chronic 1
  - Symbols: GHS09
  - H Statements: H362, H400, H410, EUH066

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- Inhalation
  - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
  - Get medical attention if patient feels unwell or if discomfort continues.
- Contact with skin
  - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water
  - If skin irritation or rash occurs: Get medical advice/attention.
  - Wash contaminated clothing before reuse.
- Contact with eyes
  - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

**SECTION 4: First aid measures (....)**

present and easy to do. Continue rinsing.  
Get immediate medical advice/attention.

- Ingestion  
Get immediate medical advice/attention.  
Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

- No information available

**4.3 Indication of any immediate medical attention and special treatment needed**

- Immediately call a POISON CENTER or doctor/physician.
- 

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

- Extinguish with foam, carbon dioxide, dry powder or water spray.
- Do not use water jets

**5.2 Special hazards arising from the substance or mixture**

Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen cyanide. In the event of fire and/or explosion do not breathe fumes.

Rapid above 180 °C with liberation of HCl, Sulphur Dioxide and Carbon monoxide

**5.3 Advice for firefighters**

Firemen must wear self-contained breathing apparatus.  
Do not allow contaminated extinguishing water to enter the soil, ground-water or surface waters.  
Keep surrounding containers cool with water spray. Water or foam may cause frothing.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

- Ensure adequate ventilation
- Evacuate the area and keep personnel upwind
- Spillage causes slippery surface
- Ventilate area
- Wash thoroughly after dealing with spillage
- Wear protective clothing as per section 8
- Avoid contact with skin and eyes

**6.2 Environmental precautions**

- Avoid release to the environment.
- Do not allow to enter public sewers and watercourses
- Stop leak if safe to do so.

**6.3 Methods and material for containment and cleaning up**

---

**SECTION 6: Accidental release measures (....)**

- Collect spillage.
- Ensure adequate ventilation
- Contain spillage with sand, earth or other non-combustible material.
- Sweep or shovel-up spillage and remove to a safe place
- Place in appropriate container
- Dispose of this material as hazardous waste.
- Wear suitable protective clothing, eye/face protection and gloves

**6.4 Reference to other sections**

- See Section 8, 13

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

- Avoid release to the environment.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Avoid contact with skin and eyes
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Do not eat, drink or smoke when using this product.
- Do not empty into drains
- Ensure adequate ventilation
- Keep away from food, drink and animal foodstuffs
- Store in original, correctly labelled and tightly closed containers
- Wash thoroughly after handling.
- Use good personal hygiene practices

**7.2 Conditions for safe storage, including any incompatibilities**

- Store in a cool, dry, well ventilated area.
- Store in original, tightly closed containers
- Keep away from moisture

**7.3 Specific end use(s)**

- No information available

---

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters**

- No information available

**8.2 Exposure controls**

---

## SECTION 8: Exposure controls/personal protection (....)

- Wear protective gloves/protective clothing/eye protection/face protection.
- Avoid contact with skin and eyes
- Contaminated work clothing should not be allowed out of the workplace.
- Do not eat, drink or smoke when using this product.
- Ensure adequate ventilation
- Wash thoroughly after handling.
- Wear suitable protective clothing.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance: Viscous black liquid
- Odour: Odourless
- Boiling Point/Range: > 100 °C
- Flashpoint: > 200 °C
- pH: Not applicable
- Specific Gravity:  $1.35 \pm 0.05$
- Solubility in water: Insoluble in water

### 9.2 Other information

- No information available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

- No hazardous reactions known if used for its intended purpose

### 10.2 Chemical stability

- Considered stable under normal conditions

### 10.3 Possibility of hazardous reactions

Can react with alkali metals and alkaline earth metal which have a strong affinity for chlorine can react with iron, zinc, aluminum at high temperatures leading to decomposition.

### 10.4 Conditions to avoid

Heat and hot surfaces

### 10.5 Incompatible materials

- Strong oxidising agents

### 10.6 Hazardous decomposition products

Prolonged heating at temperatures in excess of 70 °C and above 200 °C for short periods of time will result decomposition and liberation of hydrogen chloride.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

- No information available
- 

## SECTION 12: Ecological information

### 12.1 Toxicity

- No information available

### 12.2 Persistence and degradability

- No information available

### 12.3 Bioaccumulative potential

- No information available

### 12.4 Mobility in soil

- immiscible with water

### 12.5 Results of PBT and vPvB assessment

- No information available

### 12.6 Other adverse effects

- No information available
- 

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Avoid release to the environment. Refer to special instructions/Safety data sheets
  - Disposal should be in accordance with local, state or national legislation
  - Dispose of contents/container to an authorised waste collection point.
  - Do not empty into drains - dispose of this material and container in a safe way
- 

## SECTION 14: Transport information



UN No.: 3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class: 9

Packing Group: III

### 14.1 Air (ICAO/IATA)

- ICAO UN No.: 3082
-

Created: 09 Aug 2022

---

**SECTION 14: Transport information (....)**

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- ICAO Hazard Class: 9
- ICAO Packing Group: III

**14.2 Road/Rail (ADR/RID)**

- ADR UN No.: 3082
- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- ADR Hazard Class: 9

**14.3 Sea (IMDG)**

- IMDG UN No.: 3082
- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- IMDG Hazard Class: 9
- IMDG Pack Group.: III

**14.4 Environmental hazards**

- Marine Pollutant

**14.5 Special precautions for user**

- No information available

**14.6 Transport in bulk according to Annex II of Marpol and the IBC Code**

- No information available

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830

**15.2 Chemical safety assessment**

- A REACH chemical safety assessment has not been carried out

---

**SECTION 16: Other information**

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- EUH066: Repeated exposure may cause skin dryness or cracking. H362: May cause harm to breast-fed children. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

--- end of safety datasheet ---