

# Material SAFETY DATA SHEET SetCure 100

# 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	SetCure 100	
Description:	Easy to clean curing aid for formwork cast-in-situ concrete surfaces	
Manufacturer:	Ayla Construction Chemicals	
	P.O. Box 1117, Amman 11118 Jorda	an
	Tel. + 962 6 5338891	Fax: + 962 6 5338829
	www.dcp-int.com	
Date Prepared:	19.10.17	
MSDS Number:	DCP/05/03/10	

# 2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Sodium silicate.			
Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Water	-	-	7732-18-5	60 - 80
Silicic acid, sodium salt	Xn	R36/37/38	1344-09-8	15 – 30

Refer to Section 8 for Occupational Exposure Limits.

# **3: HAZARDS IDENTIFICATION**

Hazard Information:	Harmful by inhalation and if swallowed. Irritating to eyes, respiratory system and skin.	
Classification:	Xn. R20/22, 36/37/38	
4: FIRST AID MEASURES		
Eyes:	Immediately flush eyes with plenty of water for at lupper and lower eye lids occasionally. Get medical a	<b>_</b>
Skin:	Immediately flush eyes with plenty of water fo Remove contaminated clothes and shoes. Get me clothes before reuse.	
Inhalation:	Remove to fresh air. If not breathing give a breathing is difficult give oxygen. Get medical attention	•
Ingestion:	Do not induce vomiting. Give large quantities anything by mouth to unconscious person. Gimmediately.	÷
<b>Issue No.:</b> 01 <b>Rev. No.:</b>	01 SetCure 100	Page 1 of 5



# 5: FIRE FIGHTING MEASURES

Extinguishing Media:	Carbon dioxide, powder, foam or water. Don't Use water jets.
Personal Protective Equipment:	Self-contained breathing apparatus and full protective clothing.

# 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Caution! Floor and other surfaces may be slippery. Ventilate area of leak or spill. Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Recover liquid when possible, collect liquid in appropriate container or soak up with inert absorbent such as sand. Gather into labeled containers. Dispose off as applicable regulations.

# 7: HANDLING AND STORAGE

Handling:	Maintain good standards of personal hygiene. Avoid skin and eye contact. Do not eat, drink or smoke whilst using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.
Storage:	Keep container tightly closed in a cool dry area away from sources of heat and out of direct sunlight to avoid pressure build up. Store in conformity with local fire regulations. Store away from sources of ignition.

#### 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Protection:	Use chemical safety g possible.	oggles and/or a full face shield where splashing is
Skin Protection:	Wear impervious cloth coveralls.	ning, including boots, gloves, lab coats, aprons or
Respiratory Protection:	employee below the exceeded, a half-face times the exposure lim	nd/or general exhaust is recommended to keep Airbone Exposure Limit. If the exposure limit is dust/mist respirator may be worn for up to ten hit or the maximum use concentration specified by tory agency or respiratory supplier.
Hygiene Measures:	Change contaminated	clothing and clean before re-use.
Engineering Controls:	Use only in well recommended.	ventilated areas. Local exhaust ventilation is
Exposure Guidelines:	OSHA Sodium silicate	PEL 80 mg/m <sup>3</sup>

Issue No.:	01	Rev. No.:	01	
------------	----	-----------	----	--



#### 9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Liquid
Colour:	Clear or white
Odour:	Odourless
Relative Density (@25°C):	1.00 - 1.30
Water Solubility:	Soluble

#### **10: STABILITY AND REACTIVITY**

Stability:	Stable under normal conditions.
Chemical Incompatibility:	Fluorine, mineral acids, organic acids, organic materials.
Hazardous Polymerization:	Will not occur.

# **11: TOXICOLOGICAL INFORMATION**

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Acute Oral effect LD50 > 2000 mg/kg (rat).

#### **Health Effects**

On Eyes:	A strong alkaline irritant. Alkaline exposures produce severe irritation with effects similar to dose of dilute caustics. Inflammation or burns with possible damager to the eye tissues can occur together with tearing and considerable pain.
On Skin:	A strong alkaline irritant. Causes severe irritation. Symptons include redness, itching and pain. Dries to form a glass film which can cut skin. Solid sodium silicate: dermal contact with alkaline corrosives ma produce pain, redness, severe irritation or full thickness burns.
By Inhalation:	A strong alkaline irritant. Inhalation can cause severe irritation of mucous membranes and upper respiratory tract. Sumptons may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. High concentrations may cause long damage.
By Ingestion:	A strong alkaline irritant. Causes irritation to the gastrointestinal tract. Symptons may include nausea, vomiting and diarrhea. Solid sodium silicate: Alkaline corrosive ingestion may produce burns to the lips, tongue, oral mucosa, upper airway, esophagus and occasionally stomach.



### **12: ECOLOGICAL INFORMATION**

Environmental Assessment:	Not determined.
Mobility:	Viscous liquid.
Degradability:	Not determined.
Bioaccumulation:	Not determined.
Environmental Toxicity:	96hr LC50 Lepomis macrochirus: 301 – 478 mg/ltr. 96hr LC50 Brachydanio rerio: 3185 mg/ltr. 96hr LC50 Daphnia magna: 216 mg/ltr.

#### **13: DISPOSAL CONSIDERATION**

Disposal must be in accordance with local and national legislation.

Unused Product:	Dispose off through an authorized waste contractor to a licensed site.
Used/ Contaminated Product:	As for unused product.
Packaging:	Must be disposed off through an authorized waste contractor.

#### **14: TRANSPORT INFORMATION**

This product is  $\ensuremath{\textbf{not}}$  classified as dangerous for transport.

HS Code:

2839.1900

# **15: REGULATORY INFORMATION**

Hazard	Label	Data:
--------	-------	-------



Sodium silicate

S26

Named Ingredients:

Risk Phrases:

Safety Phrases:

R36/37/38 Irritating to eyes, respiratory system and skin.

S24/25 Avoid contact with skin and eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

Issue No.: 01 Rev. No.: 01 SetCure 100	Page 4 of 5
--	-------------



## **16: OTHER INFORMATION**

Issue Date:

19/10/2017

Revised Date: 27.08.2018

Disclaimer: The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.

<b>Issue No.:</b> 01	Rev. No.:	01	
----------------------	-----------	----	--