

# **Material SAFETY DATA SHEET** Setseal FLX - Liquid

#### PRODUCT AND COMPANY IDENTIFICATION 1:

Product Name:	Setseal FLX - Liquid	
Description:	Liquid component of two parts elastomeric cementitious coating	
Manufacturer:	Ayla Construction Chemicals	
	P.O. Box 1117, Amman 11118 Jordan	
	Tel. + 962 6 5338891	Fax: + 962 6 5338829
	www.dcp-int.com	
Date Prepared:	27.05.08	
MSDS Number:	DCP/08/02/12-L	

#### 2: **COMPOSITION / INFORMATION ON INGREDIENTS**

Composition: Acrylic copolymer, water.

Hazardous Ingredient(s): None of the ingredients of this product are classified as hazardous.

Refer to Section 8 for Occupational Exposure Limits.

# 3: HAZARDS IDENTIFICATION

No significant hazard.

4: FIRST AID MEASURES		
Eyes:	Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists.	
Skin:	Wash thoroughly with soap and water or suitable skin cleanser as soon as possible.	
Inhalation:	Remove from exposure – unlikely to occur.	
Ingestion:	Wash out mouth with water. Don't induce vomiting. Obtain medical attention.	

5: FIRE FIGH	ITING MEASURES
--------------	----------------

Issue No.: 01 Rev. No.:	00 Setseal FLX - Liquid Page 1 of 4	
Personal Protective Equipment:	Self-contained breathing apparatus.	
Extinguishing Media:	Carbon dioxide, powder, foam or water fog – Do not use water jets.	
Special Exposure Hazards:	Material can splatter above 100°C. Polymer film can burn. Irritant fumes.	
Flash Point:	None.	



# 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Soak up with inert absorbent or container and remove by best available means. Gather into containers.

#### 7: HANDLING AND STORAGE

Handling:	Avoid skin and eye contact.
Storage:	Store in cool and dry area. Protect from frost.

## 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ingestion:	Prevent eating, drinking or smoking in the area of product use.
Eye Contact:	Safety glasses/goggles.
Skin Contact:	Impervious gloves (e.g. PVC).
Respiratory Protection:	In case of insufficient ventilation wear suitable equipment. Change contaminated clothing and clean before re-use.
Engineering Controls:	No specific ventilation requirement noted.
Exposure Guidelines:	None assigned.

#### 9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Liquid
Colour:	White
Odour:	Acrylic
pH (concentrate):	7 – 9
Boiling Point (°C):	100°C
Flash Point (closed cup) (°C):	None
Autoflammability (°C):	Not determined
Explosive Properties (%):	Not known
Vapour Pressure (KPa @20°C):	2.3 (water)
Relative Density (@25°C):	1.025
Water Solubility:	Emulsifiable



# **10: STABILITY AND REACTIVITY**

Stability:

Conditions to Avoid: Temperature below 2°C.

Chemical Incompatibility: None known.

Hazardous Decomposition Products: Thermal decomposition may yield acrylic monomers.

Stable.

### **11: TOXICOLOGICAL INFORMATION**

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 2000 mg/kg.

#### Health Effects

On Eyes:	May cause transient irritation.
On Skin:	Unlikely to irritate on brief occasional exposure.
By Inhalation:	Low volatility makes inhalation unlikely at ambient temperatures.
By Ingestion:	Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.

12: ECOLOGICAL INFORMATION		
Environmental Assessment:	When used and disposed off as intended, no adverse environmental effects are foreseen.	
Mobility:	Mobile liquid. Emulsifiable in water.	
Degradability:	Inherently biodegradable.	
Bioaccumulation:	Not expected to be bioaccumulative.	
Acute Fish Toxicity:	Not expected to be ecotoxic to fish/ daphnia/ algae.	

#### **13: DISPOSAL CONSIDERATION**

Disposal must be in accordance with local and national legislation.

Unused Product:	Dispose off in an approved manner. Do not empty into drains, sewers or water courses.
Used/ Contaminated Product:	As for unused product.
Packaging:	May be steam cleaned and recycled.

## 14: TRANSPORT INFORMATION

This product is **not** classified as dangerous for transport.

Issue No.: 0	1 Rev.	No.: (	0C
--------------	--------	--------	----



# **15: REGULATORY INFORMATION**

#### Hazard Label Data:

This product is **not** classified as dangerous for supply. Safety Phrases:

S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

16: OTHER INFORMATION				
Issue Date:	27/08/2008	Revised Date:		
Disclaimer:		rived from the best available sources and is guarantee is expressed or implied regarding se of this product.		

Issue No.: 01	Rev. No.:	00
---------------	-----------	----