

SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
 - Product Name: Strongcoat PE500 Hardener
 - Product Part Number: C05/06/03/013H
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Use of the substance/mixture: Hardener part of two component coal tar epoxy coating
- 1.3 Details of the supplier of the safety data sheet

- Name of Supplier: DCP Lebanon

- Address of Supplier: Port, Jamarek Street

Rbeiz Bldg

Beirut, Lebanon
- Telephone: + 961 1 444 562

- Fax: + 961 1 444 563

- Email: info.lebanon@dcp-int.com

- 1.4 Emergency telephone number
 - Emergency Telephone: + 961 1 444 562 (available during work hours)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - CLP: Skin Sens. 1, Skin Irrit. 2, Eye Dam. 1, Muta. Cat. 1B, Carc. 1A, Repr. Cat. 1B, Aquatic Chronic 1
- 2.2 Label elements







- Signal Word: Danger
- Hazard statements

H350 - May cause cancer.

H340 - May cause genetic defects.

H360FD - May damage fertility. May damage the unborn child.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Datasheet Number: C05/06/03/013H - v1.0.0



SECTION 2: Hazards identification (....)

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P281 - Use personal protective equipment as required.

P201 - Obtain special instructions before use.

P273 - Avoid release to the environment.

P264 - Wash thoroughly after handling.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P405 - Store locked up.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P202 - Do not handle until all safety precautions have been read and understood.

2.3 Other hazards

- Contains: N,N-bis(2-aminoethyl)ethylenediamine

Pitch, coal tar, high-temp.; Pitch

Amines, polyethylenepoly-, triethylenetetramine fraction

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- Amines, polyethylenepoly-, triethylenetetramine fraction

CAS Number: 90640-67-8
EC Number: 292-588-2
Concentration: 1 - 5%

Categories: Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1, Aquatic Chronic 3

Symbols: GHS05, GHS07

H Statements: H312, H314, H317, H412

- 3,6-diazaoctanethylenediamin; triethylenetetramine

CAS Number: 112-24-3 EC Number: 203-950-6 Concentration: 1 - 5%

Categories: Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1, Aquatic Chronic 3

Symbols: GHS05, GHS07

Datasheet Number: C05/06/03/013H - v1.0.0

SECTION 3: Composition/information on ingredients (....)

H Statements: H312, H314, H317, H412

- N,N-bis(2-aminoethyl)ethylenediamine

CAS Number: 4097-89-6 EC Number: 223-857-4 Concentration: < 0.5%

Categories: Acute Tox. 2, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, STOT SE 1

Symbols: GHS05, GHS06, GHS08

H Statements: H301, H310, H314, H318, H370

- Pitch, coal tar, high-temp.; Pitch CAS Number: 65996-93-2 EC Number: 266-028-2 Concentration: 30 - 50%

Categories: Muta. Cat. 1B, Carc. 1A, Repr. Cat. 1B, Aquatic Acute 1, Aquatic Chronic 1

Symbols: GHS08, GHS09

H Statements: H350, H340, H400, H410, H360FD

- Creosote oil, acenaphthene fraction; Wash Oil

CAS Number: 90640-84-9
EC Number: 292-605-3
Concentration: 10 - 20%
Categories: Carc. 1B
Symbols: GHS08
H Statements: H350

- Anthracene oil; Anthracene oil

CAS Number: 90640-80-5
EC Number: 292-602-7
Concentration: 1 - 5%
Categories: Carc. 1B
Symbols: GHS08
H Statements: H350

- reaction mass of ethylbenzene and xylene

CAS Number: -

EC Number: 905-588-0 Concentration: 1 - 5%

Categories: Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2

Symbols: GHS02, GHS08, GHS07

H Statements: H226, H304, H312, H315, H319, H332, H335, H373

- Hydrocarbons C9 aromatics CAS Number: 64742-95-6 EC Number: 918-668-5 Concentration: 1 - 5%



SECTION 3: Composition/information on ingredients (....)

STOT SE 3, Aquatic Chronic 2 Categories: Symbols: GHS02, GHS09, GHS08, GHS07 H Statements: H226, H304, H335, H336, H411

SECTION 4: First aid measures

- 4.1 Description of first aid measures
 - Take off immediately all contaminated clothing.
 - Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Seek medical attention if ill effects occur

- Contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

If skin irritation or rash occurs: Get medical advice/attention.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water

Wash contaminated clothing before reuse.

- Contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention.

- Ingestion

Do NOT induce vomiting.

If swallowed, rinse mouth with water (only if the person is conscious)

Give water or milk to drink

Never give anything by mouth to an unconscious person

Get immediate medical advice/attention.

- 4.2 Most important symptoms and effects, both acute and delayed
 - No information available
- 4.3 Indication of any immediate medical attention and special treatment needed
 - No information available
 - Immediately call a POISON CENTER or doctor/physician.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Water fog or fine spray, CO2, extinguishing powder or water jet. Fight larger fires with water jet or

SECTION 5: Firefighting measures (....)

alcohol-resistant foam.

Don not use water with a full water jet.

- 5.2 Special hazards arising from the substance or mixture
 - May give off noxious and toxic fumes in a fire
 - Nitrogen and carbon oxides may be formed

5.3 Advice for firefighters

- Do not allow run-off water to enter sewers and water sources.
- Wear self contained breathing apparatus and full protective clothing
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- In case of fire: Evacuate area.
- May give off noxious and toxic fumes in a fire

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Ensure adequate ventilation
 - Wear protective clothing as per section 8
 - Do not breathe dust/fume/gas/mist/vapours/spray.
 - Evacuate the area and keep personnel upwind
 - Wash thoroughly after dealing with spillage
 - Avoid contact with skin and eyes

6.2 Environmental precautions

- Avoid release to the environment.
- Do not allow to enter public sewers and watercourses
- Prevent further spilage if safe
- 6.3 Methods and material for containment and cleaning up
 - Avoid release to the environment.
 - Collect as much as possible in clean container for reuse or disposal
 - Soak up with inert absorbent
 - Place in appropriate container
 - Wear suitable protective clothing, eye/face protection and gloves
 - Ensure adequate ventilation
 - Collect spillage.

6.4 Reference to other sections

- See Section 8, 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Datasheet Number: C05/06/03/013H - v1.0.0

SECTION 7: Handling and storage (....)

- Adopt best Manual Handling considerations when handling, carrying and dispensing.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Avoid contact with skin and eyes
- Do not eat, drink or smoke when using this product.
- Ensure adequate ventilation
- Keep away from food, drink and animal foodstuffs
- Use good personal hygiene practices
- Store in original, correctly labelled and tightly closed containers
- Wash thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Contaminated work clothing should not be allowed out of the workplace.
- Avoid release to the environment.
- Use personal protective equipment as required.
- Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

- Store in original, correctly labelled and tightly closed containers
- Store in a dry environment away from direct sunlight.
- Store in a cool, dry, well ventilated area.
- Keep away from food, drink and aninal feedingstuffs
- Store locked up.

7.3 Specific end use(s)

- No information available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- No information available

8.2 Exposure controls







- Ensure adequate ventilation
- Avoid contact with skin and eyes
- Contaminated work clothing should not be allowed out of the workplace.
- Do not eat, drink or smoke when using this product.
- In case of inadequate ventilation wear respiratory protection.
- Keep away from food, drink and animal feedingstuffs
- Wash thoroughly after handling.
- Wear suitable protective clothing, eye/face protection and gloves

Datasheet Number: C05/06/03/013H - v1.0.0



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance: Black, Liquid

Odour: Characteristic odourBoiling Point/Range: No information available

Flashpoint: >93°C
 Specific Gravity: 1.10 ± 0.05
 Solubility in water: Insoluble in water

9.2 Other information

- No information available

SECTION 10: Stability and reactivity

- 10.1 Reactivity
 - No hazardous reactions known if used for its intended purpose
- 10.2 Chemical stability
 - Considered stable under normal conditions
- 10.3 Possibility of hazardous reactions
 - No hazardous reactions known if used for its intended purpose
- 10.4 Conditions to avoid
 - No special precautions are required for this product
- 10.5 Incompatible materials
 - Strong oxidising agents
 - Incompatible with acids and alkalis
- 10.6 Hazardous decomposition products
 - Combustion may emit toxic fumes
 - Decomposition products may include toxic fumes
 - Decomposition products may include nitrogen and carbon oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation
Causes severe skin burns and eye damage.
Serious eye damage/irritation
Causes serious eye damage.
Respiratory or skin sensitisation
May cause an allergic skin reaction.

Datasheet Number: C05/06/03/013H - v1.0.0

DCP

Created: 03 Mar 2024

SECTION 12: Ecological information

12.1 Toxicity

- No information available
- 12.2 Persistence and degradability
 - No information available
- 12.3 Bioaccumulative potential
 - No information available
- 12.4 Mobility in soil
 - No information available
 - immiscible with water
- 12.5 Results of PBT and vPvB assessment
 - No information available
- 12.6 Other adverse effects
 - Avoid release to the environment.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
 - Avoid release to the environment. Refer to special instructions/Safety data sheets
 - Disposal should be in accordance with local, state or national legislation
 - Dispose of contents/container to an authorised waste collection point.
 - Do not empty into drains dispose of this material and container in a safe way Small quantities may be reacted with a suitable quantity of epoxy resin, allowed to cure and disposed of as low hazard waste. Larger quantities should be disposed of as hazardous waste via a licensed waste operator.

SECTION 14: Transport information





14.1 Air (ICAO/IATA)

- ICAO UN No.: 3082

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

ICAO Hazard Class: 9ICAO Packing Group: III

14.2 Road/Rail (ADR/RID)

- ADR UN No.: 3082

Datasheet Number: C05/06/03/013H - v1.0.0



SECTION 14: Transport information (....)

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

- ADR Packing Group: III

14.3 Sea (IMDG)

- IMDG UN No.: 3082

- Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

IMDG Hazard Class: 9IMDG Pack Group.: III

14.4 Environmental hazards

- Marine Pollutant

14.5 Special precautions for user

- No information available

14.6 Transport in bulk according to Annex II of Marpol and the IBC Code

- No information available

14.7 HS Code: 39073000

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - This Safety Data Sheet is provided in compliance with the EC Regulation 1907/2006-2015/830
- 15.2 Chemical safety assessment
 - A REACH chemical safety assessment has not been carried out

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H226: Flammable liquid and vapour. H301: Toxic if swallowed. H304: May be fatal if swallowed and enters airways. H310: Fatal in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation. H336: May cause drowsiness or dizziness. H340: May cause genetic defects. H350: May cause cancer. H360FD: May damage fertility. May damage the unborn child. H370: Causes damage to organs. H373: May cause damage to organs through prolonged or repeated exposure. H400: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

--- end of safety datasheet ---

Datasheet Number: C05/06/03/013H - v1.0.0