

Material SAFETY DATA SHEET Strongcoat Primer S50 - Base

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Strongcoat Primer S50 - Base	
Description:	Base component of two parts solver and coating	nt-based epoxy resin primer for flooring
Manufacturer:	DCP Saudi Co	
	P.O. Box 66241, Riyadh 11576 King	dom of Saudi Arabia
	Tel. + 966 11 4612003	Fax: + 966 11 2792059
	www.dcp-int.com	
Date Prepared:	13.07.2020	
MSDS Number:	DCP/05/05/118-B	

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Epoxy resin, solver	nt, inert fillers.		
Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Epoxy resin (Number average molecular weight <700)	Xi, N	R36/38, 43, 51/53	25068-38-6	20 - 45
Xylene	Xn	R10, 20/21, 38	1330-20-7	10 - 25
Talc	Xi	R20, 37	11807-96-6	15 - 30
Solvent	Xn,F	R10	64742-95-6	< 15

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

Hazard Information:	Flammable. Harmful by inhalation and in contact with skin. Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact. Toxic to aquatic organism, may cause long-term affects in the aquatic environment.
Classification:	Xn, F, N. R10, 20/21, 36/37/38, 43, 51/53.

Issue No.:	01	Rev. No.:	00
------------	----	-----------	----



4: FIRST AID MEASURES

Eyes:	Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention urgently.
Skin:	Wash immediately with soap and water or suitable skin cleanser. Remove contaminated clothes and shoes. Obtain medical advice if skin disorders develop.
Inhalation:	Remove from exposure; obtain medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion:	Rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting. Obtain medical attention. Beware of aspiration if vomiting occurs.

5: FIRE FIGHTING MEASURES

Flash Point (Closed Cup):	42°C.
Extinguishing Media:	Carbon dioxide, powder, foam or water fog - Do not use water jets.
Personal Protective Equipment:	Self-contained breathing apparatus.
Special Exposure Hazards:	Toxic fumes. Carbon oxides.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Immediately issue NO SMOKING and NO NAKED FLAMES warnings. Wear suitable protective clothing, gloves and eye/face protection.

Environmental Precautions: Prevent entry into drains, sewers and water courses.

Decontamination Procedures: Soak up with inert absorbent such as sand. Gather into labeled containers. Dispose off as applicable regulations.

7: HANDLING AND STORAGE

Handling:

Storage:

Maintain good standards of personal hygiene. Avoid skin and eye contact. Do not eat, drink or smoke whilst using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Keep container tightly closed in a cool dry area away from sources of heat and out of direct sunlight to avoid pressure build up. Store in conformity with local fire regulations. Store away from sources of ignition.



8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Protection:	Safety glasses/	goggles.				
Skin Protection:	Impervious glo	ves (e.g. PVC). S	Suitable prote	ective clothing.		
Respiratory Protection:	Organic chemic	al cartridge resp	pirator.			
Hygiene Measures:	Change contam	ninated clothing	and clean be	fore re-use.		
Engineering Controls:	Use only in recommended.	well ventilate	d areas. L	.ocal exhaust	ventilation	is
Exposure Guidelines:	OSHA Xylene	PEL 100 ppm	STEL 150 ppm			

9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Viscous liquid "free from impurities"
Colour:	Brownish
Odour:	Aromatic
pH (concentrate):	Not applicable
Boiling Point (°C):	135 - 150
Flash Point (closed cup) (°C):	42
Autoflammability (°C):	Not applicable
Explosive Properties (%):	Not Known
Relative Density (@25°C):	1.4
Water Solubility:	Insoluble

10: STABILITY AND REACTIVITY

Stability:	Contains volatile solvent. Stable: reacts with compounds containing amino, hydroxyl or carboxyl groups to give stable, cross linked materials.
Conditions to Avoid:	Any source of ignition. And temperatures above 35°C.
Chemical Incompatibility:	Strong acids. Strong alkalis. Strong oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition yield oxides of carbon, toxic fumes.



11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Acute Oral effect LD50 > 2000 mg/kg.

Health Effects

On Eyes:	Irritant.
On Skin:	Moderate irritation.
By Inhalation:	May cause respiratory irritation.
By Ingestion:	May cause irritation of mouth, throat and digestive tract.
Chronic:	Repeated and prolonged skin contact may lead to skin disorders.

12: ECOLOGICAL INFORMATION

Environmental Assessment:	Contains volatile organic compounds.
Mobility:	Viscous liquid. Contains volatile components.
Degradability:	Not readily biodegradable.
Bioaccumulation:	Not expected to be bioaccumulate.
Acute Fish Toxicity:	Ecotoxic to fish/daphnia/algae.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product:	Dispose off through an authorized waste contractor to a licensed site.
Used/ Contaminated Product:	As for unused product.
Packaging:	Must be disposed off through an authorized waste contractor.



14: TRANSPORT INFORMATION



UN Number:

1866

Transport Name:

Resin solution, flammable. Contains xylene.

Transport Type:		Class:	Pack Group:	Marine Pollutant
At Sea	IMDG	3.3	II	No
Air Transport	ICAO/IATA	3	II	
At land	ADR/RID	3	Item 31c	



15: REGULATORY INFORMATION

Hazard Label Data:	Xn Karmful	N Dangerous for the environment
Named Ingredients:	Epoxy resin (Number average molecular weight < 700). Xylene	
UN Number:	1866	
Risk Phrases:		
	R10	Flammable.
	R20/21	Harmful by inhalation and in contact with skin.
	R36/37/38	Irritating to eyes, respiratory system and skin.
	R43	May cause sensitization by skin contact.
	R51/53	Toxic to aquatic organisms, may cause long-term adverse in the aquatic environment.
Safety Phrases:		
	S24/25	Avoid contact with skin and eyes.
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
16: OTHER INFORMATION		

16: OTHER INFORMATION

13.07.2020

Issue Date:

Revised Date:

Disclaimer:

The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.