

Material SAFETY DATA SHEET Strongcoat SL1- Filler

1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name: | Strongcoat SL1- Filler |
|----------------|--|
| Description: | Filler component of self-levelling epoxy flooring system |
| Manufacturer: | Ayla for Building Materials Industry & Trade |
| | Al-Karadeh, Arsat Al-Hindia, Baghdad |
| | Tel.: +964 790 1488 730 |
| | www.dcp-int.com |
| Date Prepared: | 26.08.2008 |
| MSDS Number: | DCP/05/04/16-F |
| | |

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:

Mixture of silica sand and inert aggregates.

| | 3: | HAZARDS ID | ENTIFICATION |
|--|----|------------|--------------|
|--|----|------------|--------------|

Hazard Information: Long term inhalation may cause health problems.

| 4: FIRST AID MEASURES | |
|-----------------------|--|
| Eyes: | Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists. |
| Skin: | Wash immediately with soap and plenty of water or suitable skin cleanser. |
| Inhalation: | Remove from exposure; obtain medical attention if any discomfort continues. |
| Ingestion: | Rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting. Obtain medical attention if any discomfort continues. |

5: FIRE FIGHTING MEASURES

| Extinguishing Media: | None, not flammable. |
|--------------------------------|----------------------|
| Personal Protective Equipment: | None. |
| Special Exposure Hazards: | None. |



6: ACCIDENTAL RELEASE MEASURES

| Personal Precautions: | Avoid inhalation of dust. |
|-----------------------------|---|
| Environmental Precautions: | Prevent entry into drains, sewers and water courses. |
| Decontamination Procedures: | Reuse if possible, or collect in plastic bags, residues can be removed with vacuum cleaner. |

7: HANDLING AND STORAGE

Handling:

Avoid breathing dust. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid skin and eye contact.

Storage:

Store in dry, cool area.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

| Eye Protection: | Safety glasses/goggles | |
|-------------------------|--------------------------|---------------------------------------|
| Skin Protection: | Use suitable protective | clothing. |
| Respiratory Protection: | Wear approved dust m | ask. |
| Hygiene Measures: | Wear appropriate cloth | ing to prevent repeated skin contact. |
| Engineering Controls: | Use in well ventilated a | area. |
| Exposure Guidelines: | | |
| Silica, crystalline | TWA (8 hours) | 4 mg/m ³ (respirable dust) |

9: PHYSICAL AND CHEMICAL PROPERTIES

| Form: | Powder |
|--------------------------------|----------------|
| Colour: | Sandy |
| Odour: | Not applicable |
| pH (concentrate): | Not applicable |
| Boiling Point (°C): | Not applicable |
| Flash Point (closed cup) (°C): | Not applicable |
| Water Solubility: | Insoluble |

| 1 | <u>0</u> . | STAB | ΙΙΤΥ | | RFAC | τινιτγ |
|---|------------|-------|------|------|------|--------|
| | U . | JIADI | | AIVD | NLAU | |

| Stability: | Stable. |
|-----------------------------------|-------------|
| Conditions to Avoid: | None known. |
| Chemical Incompatibility: | None. |
| Hazardous Decomposition Products: | None. |

| Issue No.: 02 Rev | . No .: 00 | Strongcoat SL1 – Filler | Page 2 of 3 |
|-------------------|-------------------|-------------------------|-------------|
|-------------------|-------------------|-------------------------|-------------|



11: TOXICOLOGICAL INFORMATION

Health Effects

| On Eyes: | Irritating and may injure eye tissue if not removed promptly. |
|----------------|--|
| On Skin: | Unlikely to irritate on brief or occasional exposure. |
| By Inhalation: | May cause respiratory irritation. |
| By Ingestion: | Unlikely to occur. Low order of acute toxicity. |
| Chronic: | Respirable dust constitutes a health hazard if inhaled over long period. Inhalation of free particles of free silica, in the respirable range can give rise to fibrosis of the lung. |

12: ECOLOGICAL INFORMATION

| Environmental Assessment: | Not expected to be hazardous to the environment. |
|---------------------------|--|
| Mobility: | Insoluble in water. |
| Degradability: | Not applicable. |
| Bioaccumulation: | Not expected to be bioaccumulate. |
| Acute Fish Toxicity: | Not expected to be ecotoxic to fish/ daphnia/ algae. |

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

| Unused Product: | Dispose off in an approved manner. |
|-----------------------------|--|
| Used/ Contaminated Product: | As for unused product. |
| Packaging: | Must be disposed off as per the local authority. |

14: TRANSPORT INFORMATION

This product is **not** classified as dangerous for transport.

| 15: REGULATORY INFORMATION | | | |
|----------------------------|--|--------------------|--|
| Safety Phrases: | S22 | Don't breath dust. | |
| 16: OTHER INFO | RMATION | | |
| Issue Date: | 26/08/2008 | Revised Date: | |
| Disclaimer: | The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product. | | |

| Issue No.: 02 Rev. No.: 00 Strongcoat SL1 – Filler | Page 3 of 3 |
|--|-------------|
|--|-------------|