

Material SAFETY DATA SHEET Strongcoat UN201 - Hardener

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Strongcoat UN201 - Hardener

Description: Hardener component of two part High build, Solvent free, epoxy floor

coating

Manufacturer: Ayla Lebanon

Port, Jamarek Street (Face Port Pharmacy), Rbeiz Bldg

Beirut, Lebanon

Tel.: +961 1 444 562 Fax: +961 1 444 563

www.dcp-int.com

Date Prepared: 19.01.17

MSDS Number: DCP/05/04/96-H

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Epoxy resin hardening agent.			
Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
3-aminomethyl-3,5,5-tri -methylcyclohexylamine Benzyl alcohol m-phenylenebis(methylamine) 4,4'-Isopropylidenediphenol Salicylic acid	C, Xn Xn C, Xn Xn, N Xn	R21/22, 34, 43, 52/53 R20/22 R34,20/22,34,52/53 R22, 43, 51/53 R22, 41	2855-13-2 100-51-6 1477-55-0 113930-69-1 69-72-7	10 - 25 25 - 50 10 - 25 2.5 - 10 2.5 - 10

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

Hazard Information: Corrosive.

Harmful by inhalation and if swallowed.

Causes burns.

May cause sensitisation by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Classification: C, Xn. R20/22, 34, 43, 52/53.

Tssue No.: ()1 Rev. No.:	00	Strongcoat UN201 – Hardener	Page 1 of 5
1 155UE NO.: (// REV. NO.		SHOUGCOAL UNZUL — DATGEREI	Paue 1015



4: FIRST AID MEASURES

Eyes: Rinse opened eye for several minutes under running water. Then consult

doctor.

Skin: Instantly wash with water and soap and rinse thoroughly. If skin irritation

continues, consult a doctor.

Inhalation: Take affected persons into the open air and position comfortably. Seek

medical treatment in case of complaints.

Ingestion: Drink copious amounts of water and provide fresh air. Instantly call for

doctor.

5: FIRE FIGHTING MEASURES

Flash Point (Closed Cup): > 100°C.

Extinguishing Media: CO₂, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol-resistant foam. For safety reasons do not use Water with a full

water jet.

Personal Protective Equipment: Put on breathing apparatus.

Special Exposure Hazards: Toxic gases.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Ensure adequate ventilation. Wear protective clothing.

Environmental Precautions: Prevent entry into ground/soil, sewage system and water bodies.

Decontamination Procedures: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Dispose of as applicable regulations.

7: HANDLING AND STORAGE

Handling: The usual precautionary measures for handling chemicals must be

observed. Ensure good ventilation/exhaustion at the workplace.

Storage: Store only in the original container. Provide floor trough without outlet.

Store away from foodstuffs and Keep container tightly sealed.



8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Protection: Tightly sealed safety glasses/goggles.

Skin Protection: Impervious gloves (e.g. PVC). Suitable protective clothing.

Respiratory Protection: Combination filter A-P2.

Hygiene Measures: Change contaminated clothing and clean before re-use.

Engineering Controls: Use only in well ventilated area. Local exhaust ventilation is

recommended.

Amine-like

Exposure Guidelines: None assigned.

9: PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid

Colour: Yellowish

Boiling Point (°C): > 200

Flash Point (closed cup) (°C): > 100

Autoflammability (°C): Product is not self-igniting

Relative Density (@25°C): 1.0 - 1.1

Water Solubility: Not miscible or difficult to mix

10: STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: No further relevant information available.

Chemical Incompatibility: Acids, alkalis, strong oxidizing agents.

Hazardous Decomposition Products: Poisonous gases/vapours, Corrosive gases/vapours.

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 890 mg/kg.

Classified as skin sensitizer.

Health Effects

Odour:

On Eyes: Strong caustic effect.

On Skin: Caustic effect on skin and mucous membranes.

By Inhalation: Harmful by inhalation.

By Ingestion: Harmful if swallowed. Swallowing will lead to a strong caustic effect on

mouth and throat and to the danger of perforation of esophagus and

stomach.



12: ECOLOGICAL INFORMATION

Environmental Assessment: Harmful to aquatic organisms.

Mobility: Mobile liquid. Insoluble in water.

Degradability: Not readily biodegradable.

Bioaccumulation: Not Known.

Acute Fish Toxicity: Harmful to fish.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product: Classified as a special waste. May be reacted with base component to give

an inert polymeric material.

Used/ Contaminated Product: Classified as a special waste. Dispose off through an authorized waste

contractor to a licensed site.

Packaging: Must be disposed off through an authorized waste contractor.

14: TRANSPORT INFORMATION



UN Number: 2735

Transport Name: Amines, liquid, corrosive, n.o.s.

Transport Type:		Class:	Pack Group:	Marine Pollutant
At Sea	IMDG	8	II	No
Air Transport	IATA/ICAO	8	II	
At land	RID/ADR	8	II	



15: REGULATORY INFORMATION

Hazard Label Data:





Corrosive

Harmful

Named Ingredients: 3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzyl alcohol.

Risk Phrases: R20/21/22 Harmful by inhalation, in contact with skin and if

swallowed.

R34 Causes burns.

R43 May cause sensitisation by skin contact.

R52/53 Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Safety Phrases:

S1 Keep locked up.

S23 Do not breathe dust/fume/gas/mist/vapours/spray.

S26 In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S27/28 After contact with skin, take off immediately all

contaminated clothing, and wash immediately with

plenty of water and soap.

S36/37/39 Wear suitable protective clothing, gloves and eye/face

protection.

S45 In case of accident or if you feel unwell, seek medical

advice immediately (show the label where possible).

S60 This material and its container must be disposed of as

hazardous waste.

16: OTHER INFORMATION

Issue Date: 19/01/2017 Revised Date:

Disclaimer: The information contained herein is derived from the best available sources and is

believed to be accurate. However, no guarantee is expressed or implied regarding

the accuracy of the data given in the use of this product.

Issue No.: 01 **Rev. No.:** 00 Strongcoat UN201 – Hardener **Page** 5 of 5