

Material SAFETY DATA SHEET Strongcoat WD - Hardener

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Strongcoat WD- Hardener

Description: Hardener component of water dispersed epoxy coating

Manufacturer: Ayla for Building Materials Industry & Trade

Al-Karadeh, Arsat Al-Hindia, Baghdad

Tel.: +964 790 1488 730

www.dcp-int.com

Date Prepared: 31.08.2008

MSDS Number: DCP/05/04/21-H

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Epoxy curing agent, water and fillers.

Hazardous Ingredient(s) Symbol Risk Phrases CAS No. %

Polyaminoamide Xi, N R38, 41, 51/53 < 20

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

Hazard Onformation: Irritating to skin.

Risk of serious damage to the eyes.

Toxic to aquatic organisms, may cause long-term adverse in the aquatic

environment.

Classification: Xi, N. R38, 41, 51/53

4: FIRST AID MEASURES

Eyes: Irrigate immediately with copious quantities of water for 15 minutes.

Obtain medical attention immediately.

Skin: Wash immediately with soap and water or suitable skin cleanser. Remove

contaminated clothes and shoes. Obtain medical advice if irritation

persists.

Inhalation: Remove from exposure, obtain medical attention if respiratory irritation

develops or if breathing becomes difficult.

Ingestion: Drink plenty of water. Do not induce vomiting. Obtain medical attention.

Beware of aspiration if vomiting occurs.

Issue No.: 02 **Rev. No.:** 00 Strongcoat WD – Hardener **Page** 1 of 5



5: FIRE FIGHTING MEASURES

Flash Point (Closed Cup): > 100°C.

Extinguishing Media: Carbon dioxide, powder, foam or water.

Personal Protective Equipment: Self-contained breathing apparatus. Standard aluminized suit.

Special Exposure Hazards: Carbon oxides, nitrogen oxides, Ammonia and organic acid vapors.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear suitable protective clothing, gloves and eye/face protection.

Environmental Precautions: Prevent entry into drains, sewers and water courses.

Decontamination Procedures: Soak up with inert absorbent like sand. Gather into labeled containers.

Dispose off as applicable regulations.

7: HANDLING AND STORAGE

Handling: Maintain good standards of personal hygiene. Avoid skin and eye contact.

Do not eat, drink or smoke whilst using this product. Ensure adequate

ventilation.

Storage: Keep container tightly closed in a cool dry area. Keep away from food

containers.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Protection: Tightly sealed safety glasses/goggles.

Skin Protection: Impervious gloves (e.g. PVC). Suitable protective clothing.

Respiratory Protection: Breathing filters apparatus.

Hygiene Measures: Change contaminated clothing and clean before re-use.

Engineering Controls: Use only in well ventilated area. Local exhaust ventilation is

recommended.

Exposure Guidelines: None assigned.

Issue No.: 02 **Rev. No.:** 00 Strongcoat WD – Hardener **Page** 2 of 5



9: PHYSICAL AND CHEMICAL PROPERTIES

Form: Thixotropic liquid
Colour: Yellowish to clear

Odour: Ammoniacal

pH (concentrate): Alkaline Boiling Point ($^{\circ}$ C): > 100 Flash Point (closed cup) ($^{\circ}$ C): > 100

Autoflammability (°C): Autoignition temperature > 150

Relative Density (@25°C): 1.19

Water Solubility: Dispersible

10: STABILITY AND REACTIVITY

Stability: Stable if used as directed.

Conditions to Avoid: Any source of ignition. Temperature below 0°C.

Chemical Incompatibility: Strong acids. Strong alkalis. Strong oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition yield oxides of Carbon, nitrogen compounds.

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 5000 mg/kg. Classified as skin sensitizer.

Health Effects

On Eyes: Severe irritation.

On Skin: Irritation.

By Inhalation: No Data.

By Ingestion: May cause irritation of mouth, throat and digestive tract.

Chronic: Repeated and prolonged skin contact will result in severe irritation.

12: ECOLOGICAL INFORMATION

Environmental Assessment: When used and disposed as intended, no adverse environmental effects

are foreseen.

Mobility: Mobile liquid. Insoluble in water.

Degradability: Not readily biodegradable.

Bioaccumulation: Not Known.

Acute Fish Toxicity: Not Known.

Issue No.: 02 **Rev. No.:** 00 Strongcoat WD – Hardener **Page** 3 of 5



13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product: Classified as a special waste. May be reacted with base component to give

an inert polymeric material.

Used/ Contaminated Product: Classified as a special waste. Dispose off through an authorized waste

contractor to a licensed site.

Packaging: Must be disposed off through an authorized waste contractor.

14: TRANSPORT INFORMATION



UN Number: 3082

Transport Name: Environmentally Hazardous substance, liquid n.o.s.

| Transport Type: | | Class: | Pack Group: | Marine Pollutant |
|-----------------|-----------|---------------|-------------|------------------|
| At Sea | IMO | Not dangerous | | No |
| Air Transport | IATA/ICAO | Not dangerous | | |
| At land | RID/ADR | 9 | III | |



15: REGULATORY INFORMATION

Hazard Label Data: Xi N

*



Irritant

Dangerous for the environment

UN Number: 3082

Risk Phrases: R38 Irritating to skin.

R41 Risk of serious damage to the eyes.

R51/53 Toxic to aquatic organisms, may cause long-term

adverse in the aquatic environment.

Safety Phrases:

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S37/38/39 Wear suitable protective clothing, gloves and eye/face

protection.

16: OTHER INFORMATION

Issue Date: 31/08/2008 Revised Date:

Disclaimer: The information contained herein is derived from the best available sources and is

believed to be accurate. However, no guarantee is expressed or implied regarding

the accuracy of the data given in the use of this product.

Issue No.: 02 **Rev. No.:** 00 Strongcoat WD – Hardener **Page** 5 of 5