

# Material SAFETY DATA SHEET Tibmix

# 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Tibmix			
Description:	Pre-blended metallic dry shake floor topping			
Manufacturer:	Ayla Lebanon			
	Port, Jamarek Street (Face Port Pharmacy)	, Rbeiz Bldg		
	Beirut, Lebanon			
	Tel.: +961 1 444 562	Fax: +961 1 444 563		
	www.dcp-int.com			
Date Prepared:	26.08.08			
MSDS Number:	DCP/05/01/04			

#### 2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Cements, plasticizers, Copper slag and pigments.			
Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Cement	Xi	R36/37/38	65997-15-1	35 - 45

Refer to Section 8 for Occupational Exposure Limits.

#### 3: HAZARDS IDENTIFICATION

 Hazard Information:
 Irritating to eyes, respiratory system and skin.

Classification: Xi. R36/37/38

# 4: FIRST AID MEASURES

Eyes:	Irrigate immediately with copious quantities of water for several minutes. Obtain medical attention if necessary.
Skin:	Remove contaminated clothing immediately. Wash immediately with copious quantities of water. Obtain medical advice if skin disorders develop.
Inhalation:	Remove from dust contaminated zone, obtain medical attention if necessary.
Ingestion:	Wash out mouth with water. Obtain medical attention. Do not induce vomiting.

Issue No.:	01	Rev. No.:	01	Tibmix	Page	1 of 4
						,



#### 5: **FIRE FIGHTING MEASURES**

Flash Point:	None.
Lower Explosive Limit:	None.
Extinguishing Media:	Same as surrounding fire.
Personal Protective Equipment:	None.

### **6: ACCIDENTAL RELEASE MEASURES**

Personal Precautions:	Wear rubber boots in addition to the recommended protective clothing.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Avoid the creation of dust in atmosphere. Gather into containers.

#### 7: HANDLING AND STORAGE

Handling:

Avoid creating dust. Avoid breathing dust. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid skin and eye contact.

Storage:

Store in cool and dry area.

#### **EXPOSURE CONTROLS AND PERSONAL PROTECTION** 8:

Ingestion:	Prevent eating, drinking or smoking in the area of product use.
Eye Contact:	Safety glasses/goggles which can be tightly sealed.
Skin Contact:	Protective gloves. Dustproof working clothes.
Respiratory Protection:	Approved dust mask.
Engineering Controls:	Use only in well ventilated areas. Local exhaust ventilation is recommended. Atmospheric levels of dust must be maintained within the Occupational Exposure Standard.
Hygiene Measures:	Avoid skin and eye contact.

Hygiene Measures:

Exposure Limits:

Name	WEL (8 Hours TWA)			
	Total inhalable dust (mg/m <sup>3</sup> )	Respirable dust (mg/m³)		
Cement - Portland	10	4		

Issue No.:	01	Rev. No.:	01	Tibmix	Page 2 of 4



### 9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Powder
Colour:	Various
Odour:	Odourless
pH (concentrate):	Not applicable
Boiling Point (°C):	Not applicable
Flash Point (closed cup) (°C):	None
Autoflammability (°C):	Not determined
Water Solubility:	Can be mixed with water

#### **10: STABILITY AND REACTIVITY**

Stability:	Stable.
Conditions to Avoid:	Exposure to air. Contamination with water.
Chemical Incompatibility:	Strong acids.
Hazardous Decomposition Products:	None.

### **11: TOXICOLOGICAL INFORMATION**

#### **Health Effects**

On Eyes:	Irritating and may injure eye tissue if not removed promptly.
On Skin:	Irritation. See "chronic" effects.
By Inhalation:	Irritation to respiratory system. Inflammation of the nasal mucous membrane by exposure to cement dust.
By Ingestion:	May cause irritation of mouth, throat and digestive tract.
Chronic:	Cement, cementitious grouts and mortars are known to cause both irritant and allergic contact dermatitis. Prolonged skin contact can result in chemical burns.

#### **12: ECOLOGICAL INFORMATION**

Environmental Assessment:	Little detailed information is available on the ecological effects of this product, but its overall environmental impact is not regarded as significant.			
Mobility:	Can be mixed with water.			
Degradability:	Not readily biodegradable.			
Bioaccumulation:	Not expected to be bioaccumulate.			
Acute Fish Toxicity:	Not expected to be ecotoxic to fish/daphnia/algae.			

|--|



### **13: DISPOSAL CONSIDERATION**

Disposal must be in accordance with local and national legislation.

Unused Product:	Dispose off in an approved manner. Small quantities maybe mixed wit water, allowed to harden and dispose of as low hazard waste.	
Used/ Contaminated Product:	As for unused product.	
Packaging:	The method of disposal must be acceptable to the local authority.	

#### **14: TRANSPORT INFORMATION**

This product is **not** classified as dangerous for transport.

#### **15: REGULATORY INFORMATION**

Hazard Label Data:	Xi Vi Irritant				
Named Ingredients:	Cement powders				
Risk Phrases:					
	R36/37/38	Irritating to eyes, skin and respiratory system.			
Safety Phrases:					
	S22	Do not breathe dust.			
	S24/25	Avoid contact with skin and eyes.			
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.			
	S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.			
16: OTHER INFORMAT	ΓΙΟΝ				
Issue Date:	26/08/2008	Revised Date: 26.05.2016			
Disclaimer:	The information contained herein is derived from the best available sources and is				

The information contained herein is derived from the best available sources and is Disclaimer: believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.

Issue No.:	01	Rev. No.:	01	Tibmix	Page 4 of 4