

Material SAFETY DATA SHEET Sealguard

1: PRODUCT AND COMPANY IDENTIFICATION

| Sealguard | |
|--------------------------------------|--|
| Elastomeric acrylic waterproof coati | ng for roofs |
| Don Construction Products | |
| P.O. Box 24839, Doha, Qatar | |
| Tel. + 974 4 411 4004 | Fax: + 974 4 411 4014 |
| www.dcp-int.com | |
| 13.05.19 | Revised Date: |
| DCP/08/03/14 | |
| | Elastomeric acrylic waterproof coati Don Construction Products P.O. Box 24839, Doha, Qatar Tel. + 974 4 411 4004 <u>www.dcp-int.com</u> 13.05.19 |

2: COMPOSITION / INFORMATION ON INGREDIENTS

| Composition: | Acrylic polymer emulsion. | | | |
|--------------------------|---------------------------|--------------|----------------------|--------------------|
| Hazardous Ingredient(s) | Symbol | Risk Phrases | CAS No. | % |
| Water Acrylic polymer | - | - | 7732-18-5 84-72-2 | 10 – 25 60 – 80 |

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

No significant hazard.

| 4: FIRST AID MEASURES | |
|-----------------------|---|
| Eyes: | Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists. |
| Skin: | Wash thoroughly with soap and water or suitable skin cleanser as soon as possible. |
| Inhalation: | Remove from exposure – unlikely to occur. |
| Ingestion: | Wash out mouth with water. Don't induce vomiting. Obtain medical attention. |

| Issue No.: | 01 | Rev. No.: | 01 | Sealguard | Page 1 of 4 |
|------------|----|-----------|----|-----------|--------------------|



5: FIRE FIGHTING MEASURES

| Flash Point: | None. |
|--------------------------------|---|
| Special Exposure Hazards: | Material can splatter above 100°C. Polymer film can burn. Irritant fumes. |
| Extinguishing Media: | Carbon dioxide, powder, foam or water fog – Do not use water jets. |
| Personal Protective Equipment: | Self-contained breathing apparatus. |

6: ACCIDENTAL RELEASE MEASURES

| Personal Precautions: | Wear suitable protective clothing, gloves and eye/face protection. |
|-----------------------------|--|
| Environmental Precautions: | Prevent entry into drains, sewers and water courses. |
| Decontamination Procedures: | Soak up with inert absorbent like sand and remove by best available means. Gather into containers. |

7: HANDLING AND STORAGE

| Handling: | Avoid skin and eye contact. |
|-----------|---|
| Storage: | Store in cool and dry area. Protect from frost. |

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

| Ingestion: | Prevent eating, drinking or smoking in the area of product use. |
|-------------------------|--|
| Eye Contact: | Safety glasses/goggles. |
| Skin Contact: | Impervious gloves (e.g. PVC). |
| Respiratory Protection: | In case of insufficient ventilation wear suitable equipment. Change contaminated clothing and clean before re-use. |
| Engineering Controls: | No specific ventilation requirement noted. |
| Exposure Guidelines: | None assigned. |

| Issue No.: | 01 | Rev. No.: | 01 | Sealguard | Page 2 of 4 |
|------------|----|-----------|----|-----------|-------------|



9: PHYSICAL AND CHEMICAL PROPERTIES

| Form: | Thick liquid |
|--------------------------------|----------------|
| Colour: | Various |
| Odour: | Acrylic |
| pH (concentrate): | 7.0 – 9.0 |
| Boiling Point (°C): | 100°C |
| Flash Point (closed cup) (°C): | None |
| Autoflammability (°C): | Not determined |
| Explosive Properties (%): | Not known |
| Vapour Pressure (KPa @20°C): | 2.3 (water) |
| Relative Density (@25°C): | 1.2 – 1.4 |
| Water Solubility: | Emulsifiable |

10: STABILITY AND REACTIVITY

| Stability: | Stable. |
|-----------------------------------|---|
| Conditions to Avoid: | Temperature below 2°C. |
| Chemical Incompatibility: | None known. |
| Hazardous Decomposition Products: | Thermal decomposition may yield acrylic monomers. |

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 2000 mg/kg.

Health Effects

| On Eyes: | May cause transient irritation. |
|----------------|---|
| On Skin: | Unlikely to irritate on brief occasional exposure. |
| By Inhalation: | Low volatility makes inhalation unlikely at ambient temperatures. |
| By Ingestion: | Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract. |

| Issue No.: | 01 | Rev. No.: | 01 | Sealguard | Page |
|------------|----|-----------|----|-----------|------|



12: ECOLOGICAL INFORMATION

| Environmental Assessment: | When used and disposed off as intended, no adverse environmental effects are foreseen. |
|---------------------------|--|
| Mobility: | Mobile liquid. Emulsifiable in water. |
| Degradability: | Inherently biodegradable. |
| Bioaccumulation: | Not expected to be bioaccumulative. |
| Acute Fish Toxicity: | Not expected to be ecotoxic to fish/daphnia/algae. |

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

| Unused Product: | Dispose off in an approved manner. Do not empty into drains, sewers or water courses. | | |
|-----------------------------|---|--|--|
| Used/ Contaminated Product: | As for unused product. | | |
| Packaging: | May be steam cleaned and recycled. | | |

14: TRANSPORT INFORMATION

This product is **not** classified as dangerous for transport.

15: REGULATORY INFORMATION

Hazard Label Data:

This product is **not** classified as dangerous for supply. Safety Phrases:

S24/25 Avoid contact with skin and eyes.S26 In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

16: OTHER INFORMATION

Disclaimer:

The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.

| Issue No.: | 01 | Rev. No.: | 01 | Sealguard | Page | 4 of 4 |
|------------|----|-----------|----|-----------|------|--------|