

Material SAFETY DATA SHEET Strongcoat SL4 - Hardener

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Strongcoat SL4 - Hardener	
Description:	Hardener component of self-levelling epoxy	<i>i</i> system
Manufacturer:	Don Construction Products	
	P.O. Box 24839, Doha, Qatar	
	Tel. + 974 4 411 4004	Fax: + 974 4 411 4014
	www.dcp-int.com	
Date Prepared:	26.08.2008	
MSDS Number:	DCP/05/04/19-H	

2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Epoxy curing a	gent, plasticizer, and accelerator		
Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Epoxy curing agent Plasticizer	C Xn	R20/21/22, 34, 43, 52/53 R20/22	2855-13-2 100-51-6	40 50

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

Hazard Information:	Harmful by inhalation, in contact with skin and if swallowed. Causes burns. May cause sensitization by skin contact. Harmful to aquatic organism, may cause long-term affects in the aquatic environment.
Classification:	C, R20/21/22, 34, 43, 52/53



4: FIRST AID MEASURES

Eyes:	Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention immediately.
Skin:	Wash immediately with soap and water or suitable skin cleanser. Remove contaminated clothes and shoes. Obtain medical advice if irritation persists.
Inhalation:	Remove from exposure, obtain medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion:	Drink plenty of water. Do not induce vomiting. Obtain medical attention. Beware of aspiration if vomiting occurs.

5: FIRE FIGHTING MEASURES

Flash Point (Closed Cup):	> 100°C.
Extinguishing Media:	Carbon dioxide, powder, foam or water.
Personal Protective Equipment:	Self-contained breathing apparatus. Standard aluminized suit.
Special Exposure Hazards:	Toxic fumes. Nitrogen compounds.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Soak up with inert absorbent like sand. Gather into labeled containers. Dispose off as applicable regulations.

7: HANDLING AND STORAGE	7:	HANDL	ING AND	STORAGE
-------------------------	----	-------	---------	----------------

Handling:	Maintain good standards of personal hygiene. Avoid skin and eye contact. Do not eat, drink or smoke whilst using this product. Ensure adequate ventilation.
Storage:	Keep container tightly closed in a cool dry area. Keep away from food containers.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Issue No.: 02 Rev. No.:	00 Strongcoat SL4 – Hardener	Page 2 of 5
Exposure Guidelines:	None assigned.	
Engineering Controls:	Use only in well ventilated area. Local exhaust recommended.	ventilation is
Hygiene Measures:	Change contaminated clothing and clean before re-use.	
Respiratory Protection:	Breathing filters apparatus.	
Skin Protection:	Impervious gloves (e.g. PVC). Suitable protective clothing.	
Eye Protection:	Tightly sealed safety glasses/goggles.	



9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Liquid
Colour:	Clear pale
Odour:	Amine
Boiling Point (°C):	> 200
Flash Point (closed cup) (°C):	> 100
Autoflammability (°C):	Autoignition temperature > 300
Explosive Properties (%):	Lower Explosive Limit (LEL): 1.3% (by volume)
	Upper Explosive Limit (UEL): 13% (by volume)
Relative Density (@25°C):	0.99
Water Solubility:	Partially soluble

10: STABILITY AND REACTIVITY

Stability:	Stable if used as directed.
Conditions to Avoid:	Any source of ignition. Temperature below 0°C.
Chemical Incompatibility:	Strong acids. Strong alkalis. Strong oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition yield oxides of carbon, nitrogen compounds.

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 1030 mg/kg. Classified as skin sensitizer.

Health Effects

On Eyes:	Strong caustic effect.
On Skin:	Corrosive - causes burns. May cause sensitization.
By Inhalation:	Harmful by inhalation. May cause respiratory irritation.
By Ingestion:	Harmful if swallowed. May cause irritation of mouth, throat and digestive tract. Ingestion of significant amounts may result in severe systemic effects.
Chronic:	Repeated and prolonged skin contact will result in severe irritation leading to burns.



12: ECOLOGICAL INFORMATION

Environmental Assessment:	When used and disposed as intended, no adverse environmental effects are foreseen.
Mobility:	Mobile liquid. Insoluble in water.
Degradability:	Not readily biodegradable.
Bioaccumulation:	Not Known.
Acute Fish Toxicity:	Expected to be ecotoxic to fish/daphnia/algae.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product:	Classified as a special waste. May be reacted with base component to give an inert polymeric material.	
Used/ Contaminated Product:	Classified as a special waste. Dispose off through an authorized waste contractor to a licensed site.	
Packaging:	Must be disposed off through an authorized waste contractor.	

14: TRANSPORT INFORMATION



UN Number:

1760

Transport Name:

Corrosive liquids, n.o.s.

Transport Type:		Class:	Pack Group:	Marine Pollutant
At Sea	IMO	8	Ш	No
Air Transport	IATA/ICAO	8	111	
At land	RID/ADR	8	Ш	

Issue No.:	02	Rev. No.:	00	Strongcoat SL4 – Hardener	Page	4 of 5



15: REGULATORY INFORMATION

Hazard Label Data:	C	
Named Ingredients:	Isophorone diar Benzyl alcohol	nine
UN Number:	1760	
Risk Phrases:		
	R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
	R34	Causes burns.
	R43	May cause sensitization by skin contact.
	R52/53	Harmful to aquatic organisms, may cause long-term adverse in the aquatic environment.
Safety Phrases:		
	S24/25	Avoid contact with skin and eyes.
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S37/39	Wear suitable gloves and eye/face protection.
	S45	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16: OTHER INFORMATION

Issue Date:	26/08/2008	Revised Date:
Disclaimer:		rived from the best available sources and is guarantee is expressed or implied regarding se of this product.